

Pointstreak API Guide Baseball/Softball v1.0

- 1 [General Information](#)
- 2 [Routes:](#)
 - 2.1 [Organization Structure:](#)
 - 2.2 [Organization Facilities:](#)
 - 2.3 [League Structure:](#)
 - 2.4 [League Facilities:](#)
 - 2.5 [Season Scoreboard:](#)
 - 2.6 [Season Standings](#)
 - 2.7 [Season Schedule:](#)
 - 2.8 [Season Player Stats \(Pitching and Batting\):](#)
 - 2.9 [Season Batting Leaders:](#)
 - 2.10 [Season Pitching Leaders:](#)
 - 2.11 [Season Fielding Leaders:](#)
 - 2.12 [Division Standings:](#)
 - 2.13 [Division Scoreboard:](#)
 - 2.14 [Division Schedule:](#)
 - 2.15 [Division Stats:](#)
 - 2.16 [Division Batting Leaders:](#)
 - 2.17 [Division Pitching Leaders:](#)
 - 2.18 [Division Fielding Leaders:](#)
 - 2.19 [Team Roster:](#)
 - 2.20 [Team Stats:](#)
 - 2.21 [Team Schedule:](#)
 - 2.22 [Team Batting Leaders:](#)
 - 2.23 [Team Pitching Leaders:](#)
 - 2.24 [Team Fielding Leaders:](#)

- 2.25 [Game Boxscore:](#)
- 2.26 [Individual Player Stats:](#)
- 3 [Element and Attribute Definitions:](#)

General Information

Apikey:

The "apikey" variable must be passed in the http header for authentication.

ID's:

Our support team will provide you with the necessary base id's (orgid, leagueid, teamid etc..) to make the api calls appropriate for your access. All subsequent id's can be derived from using the available API routes below.

API Base URL:

<https://api.pointstreak.com/>

Available Formats:

API's return in either XML or JSON format.

Access:

Access the API's via an HTTP GET request to the routes below. Make sure to pass the "apikey" variable in the request header. You should have received your apikey from our support team.

Rate Limiting and API Sharing:

There is a current rate limit for requests coming from a single IP to 50 per minute. Furthermore, If API's are accessed from multiple IP's using the same key - that key will be deactivated and access will be revoked.

Routes:

Organization Structure:

Summary:

This route returns the structure of an organization including all the leagues, seasons, division and teams.

Request URL Format:

:BaseURL/baseball/organization/structure/:orgid/:format

Required Variables:

:orgid

type: integer

Request URL Sample:

XML: [https://api.pointstreak.com/baseball/organization/structure/\[ORGID\]/xml](https://api.pointstreak.com/baseball/organization/structure/[ORGID]/xml)

JSON: [https://api.pointstreak.com/baseball/organization/structure/\[ORGID\]/json](https://api.pointstreak.com/baseball/organization/structure/[ORGID]/json)

Xml Example:

```
<?xml version="1.0" encoding="UTF-8"?>
<organization name="Edmonds Woodway Warriors Baseball " orgid="476">
  <league name="Edmonds Woodway Warriors Baseball " leagueid="1207">
    <season name="Spring 2015" seasonid="29370">
      <division divisionname="Wesco" divisionlinkid="25084" divisionuniqueid="25084"
divisionid="25084">
```

```
<team teamname="Edmonds Woodway" shortname="Edmonds Woodway"
teamlinkid="52609"
logo="http://www.pointstreak.com/baseball/logos/league1207/team52609.gif"
newsfeed="http://www.pointstreaksites.com/news_articles/get_news_api?siteid=1606"/>
  <team teamname="Glacier Peak" shortname="Glacier Peak" teamlinkid="92269"
logo="http://www.pointstreak.com/baseball/logos/league1207/team92269.gif"
newsfeed=""/>
  <team teamname="Jackson" shortname="Jackson" teamlinkid="92263"
logo="http://www.pointstreak.com/baseball/logos/league1207/team92263.gif"
newsfeed=""/>
  <team teamname="Lake Stevens" shortname="Lake Stevens" teamlinkid="92262"
logo="http://www.pointstreak.com/baseball/logos/league1207/team92262.gif"
newsfeed=""/>
  <team teamname="Lynnwood" shortname="Lynnwood" teamlinkid="92268"
logo="http://www.pointstreak.com/baseball/logos/league1207/team92268.gif"
newsfeed=""/>
  <team teamname="Meadowdale" shortname="Meadowdale" teamlinkid="92267"
logo="http://www.pointstreak.com/baseball/logos/league1207/team92267.gif"
newsfeed=""/>
  <team teamname="Mountlake Terrace" shortname="Mt. Lk Terrace"
teamlinkid="92266"
logo="http://www.pointstreak.com/baseball/logos/league1207/team92266.gif"
newsfeed=""/>
  <team teamname="Shorecrest" shortname="Shorecrest" teamlinkid="92265"
logo="http://www.pointstreak.com/baseball/logos/league1207/team92265.gif"
newsfeed=""/>
  <team teamname="Shorewood" shortname="Shorewood" teamlinkid="92264"
logo="http://www.pointstreak.com/baseball/logos/league1207/team92264.gif"
newsfeed=""/>
</division>
</season>
<season name="Spring 2014" seasonid="28273">
  <division divisionname="Wesco" divisionlinkid="18243" divisionuniqueid="21434"
divisionid="21434">
    <team teamname="Arlington" shortname="Arlington" teamlinkid="56251"
logo="http://www.pointstreak.com/baseball/logos/" newsfeed=""/>
    <team teamname="Cascade" shortname="Cascade" teamlinkid="53208"
logo="http://www.pointstreak.com/baseball/logos/league1207/team53208.gif"
newsfeed=""/>
    <team teamname="Edmonds Woodway" shortname="Edmonds Woodway"
teamlinkid="52609"
logo="http://www.pointstreak.com/baseball/logos/league1207/team52609.gif"
newsfeed="http://www.pointstreaksites.com/news_articles/get_news_api?siteid=1606"/>
    <team teamname="Jackson" shortname="Jackson" teamlinkid="53207"
logo="http://www.pointstreak.com/baseball/logos/league1207/team53207.gif"
newsfeed=""/>
    <team teamname="Kamiak" shortname="Kamiak" teamlinkid="53206"
logo="http://www.pointstreak.com/baseball/logos/league1207/team53206.gif"
newsfeed=""/>
    <team teamname="Lake Stevens" shortname="Lake Stevens" teamlinkid="53204"
logo="http://www.pointstreak.com/baseball/logos/league1207/team53204.gif"
newsfeed=""/>
    <team teamname="Lynnwood" shortname="Lynnwood" teamlinkid="53205"
logo="http://www.pointstreak.com/baseball/logos/league1207/team53205.gif"
newsfeed=""/>
    <team teamname="Mariner" shortname="Mariner" teamlinkid="53209"
logo="http://www.pointstreak.com/baseball/logos/league1207/team53209.gif"
newsfeed=""/>
    <team teamname="Meadowdale" shortname="Meadowdale" teamlinkid="53201"
logo="http://www.pointstreak.com/baseball/logos/league1207/team53201.gif"
newsfeed=""/>
    <team teamname="Monroe" shortname="Monroe" teamlinkid="74484"
logo="http://www.pointstreak.com/baseball/logos/" newsfeed=""/>
```

```
<team teamname="Mountlake Terrace" shortname="Mountlake Terra"
teamlinkid="53202"
logo="http://www.pointstreak.com/baseball/logos/league1207/team53202.gif"
newsfeed=""/>
  <team teamname="Puyallup" shortname="Puyallup" teamlinkid="75022"
logo="http://www.pointstreak.com/baseball/logos/" newsfeed=""/>
    <team teamname="Redmond" shortname="Redmond" teamlinkid="74486"
logo="http://www.pointstreak.com/baseball/logos/" newsfeed=""/>
      <team teamname="Shorecrest" shortname="Shorecrest" teamlinkid="53200"
logo="http://www.pointstreak.com/baseball/logos/league1207/team53200.gif"
newsfeed=""/>
        <team teamname="Shorewood" shortname="Shorewood" teamlinkid="53203"
logo="http://www.pointstreak.com/baseball/logos/league1207/team53203.gif"
newsfeed=""/>
          <team teamname="Snohomish" shortname="Snohomish" teamlinkid="74485"
logo="http://www.pointstreak.com/baseball/logos/" newsfeed=""/>
            <team teamname="Tahoma" shortname="Tahoma" teamlinkid="70484"
logo="http://www.pointstreak.com/baseball/logos/" newsfeed=""/>
              </division>
            </season>
          <season name="Spring 2013" seasonid="24143">
            <division divisionname="Wesco" divisionlinkid="18243" divisionuniqueid="18243"
divisionid="18243">
              <team teamname="Arlington" shortname="Eagles" teamlinkid="56251"
logo="http://www.pointstreak.com/baseball/logos/" newsfeed=""/>
                <team teamname="Cascade" shortname="Cascade" teamlinkid="53208"
logo="http://www.pointstreak.com/baseball/logos/league1207/team53208.gif"
newsfeed=""/>
                  <team teamname="Edmonds Woodway" shortname="Edmonds Woodway"
teamlinkid="52609"
logo="http://www.pointstreak.com/baseball/logos/league1207/team52609.gif"
newsfeed="http://www.pointstreaksites.com/news_articles/get_news_api?siteid=1606"/>
                    <team teamname="Jackson" shortname="Jackson" teamlinkid="53207"
logo="http://www.pointstreak.com/baseball/logos/league1207/team53207.gif"
newsfeed=""/>
                      <team teamname="Kamiak" shortname="Kamiak" teamlinkid="53206"
logo="http://www.pointstreak.com/baseball/logos/league1207/team53206.gif"
newsfeed=""/>
                        <team teamname="Lake Stevens" shortname="Lake Stevens" teamlinkid="53204"
logo="http://www.pointstreak.com/baseball/logos/league1207/team53204.gif"
newsfeed=""/>
                          <team teamname="Lynnwood" shortname="Lynnwood" teamlinkid="53205"
logo="http://www.pointstreak.com/baseball/logos/league1207/team53205.gif"
newsfeed=""/>
                            <team teamname="Mariner" shortname="Mariner" teamlinkid="53209"
logo="http://www.pointstreak.com/baseball/logos/league1207/team53209.gif"
newsfeed=""/>
                              <team teamname="Meadowdale" shortname="Meadowdale" teamlinkid="53201"
logo="http://www.pointstreak.com/baseball/logos/league1207/team53201.gif"
newsfeed=""/>
                                <team teamname="Mountlake Terrace" shortname="Mountlake Terra"
teamlinkid="53202"
logo="http://www.pointstreak.com/baseball/logos/league1207/team53202.gif"
newsfeed=""/>
                                  <team teamname="Shorecrest" shortname="Shorecrest" teamlinkid="53200"
logo="http://www.pointstreak.com/baseball/logos/league1207/team53200.gif"
newsfeed=""/>
                                      <team teamname="Shorewood" shortname="Shorewood" teamlinkid="53203"
logo="http://www.pointstreak.com/baseball/logos/league1207/team53203.gif"
newsfeed=""/>
                                        </division>
                                      </season>
                                </league>
```

</organization>

Organization Facilities:

Summary:

This route returns all of the facility information for an organization.

Request URL Format:

:BaseURL/baseball/organization/facilities/:orgid/:format

Required Variables:

:orgid

type: integer

Request URL Sample:

XML: [https://api.pointstreak.com/baseball/organization/facilities/\[ORGID\]/xml](https://api.pointstreak.com/baseball/organization/facilities/[ORGID]/xml)

JSON: [https://api.pointstreak.com/baseball/organization/facilities/\[ORGID\]/json](https://api.pointstreak.com/baseball/organization/facilities/[ORGID]/json)

Xml Example:

```
<?xml version="1.0" encoding="UTF-8"?>
<organization name="Golden Baseball League" orgid="130">
  <league name="Golden Baseball League" leagueid="130">
    <complex complexid="158">
      <name>Blair Field</name>
      <address>4700 Deukmejian Drive</address>
      <city>Long Beach</city>
      <postal>90210</postal>
      <phone>555 555 5555</phone>
```

```
<province>CA</province>
<country>United States</country>
</complex>
<complex complexid="156">
  <name>Royal Athletic Park</name>
  <address>1014 Caledonia Ave</address>
  <city>Victoria</city>
  <postal>V5Z1H8</postal>
  <phone>205 330 1278</phone>
  <province>BC</province>
  <country>Canada</country>
</complex>
</league>
</organization>
```

League Structure:

Summary:

This route returns the structure for a league, its seasons, divisions and teams.

Request URL Format:

:BaseURL/baseball/league/structure/:leagueid/:format

Required Variables:

:leagueid

type: integer

Request URL Sample:

XML: [https://api.pointstreak.com/baseball/league/structure/\[LEAGUEID\]/xml](https://api.pointstreak.com/baseball/league/structure/[LEAGUEID]/xml)

JSON: [https://api.pointstreak.com/baseball/league/structure/\[LEAGUEID\]/json](https://api.pointstreak.com/baseball/league/structure/[LEAGUEID]/json)

Xml Example:

```
<?xml version="1.0" encoding="UTF-8"?>
<league name="Golden Baseball League" leagueid="130" orgid="130" newsfeed="">
  <season name="2011 Arizona Winter" seasonid="518" enableconfstandings="0"
enableconfstats="0">
    <division divisionname="Northern" divisionlinkid="2482">
      <team teamname="Blythe Heat" shortname="Blythe Heat" teamlinkid="12014"
newsfeed=""/>
      <team teamname="Long Beach Armada" shortname="Long Beach Armada"
teamlinkid="12013" newsfeed=""/>
      <team teamname="Saskatchewan Silver Sox" shortname="Saskatchewan Silver Sox"
teamlinkid="12011" newsfeed=""/>
      <team teamname="Team Canada" shortname="Team Canada" teamlinkid="12010"
newsfeed=""/>
      <team teamname="Western Canada Miners" shortname="Western Canada Miners"
teamlinkid="12012" newsfeed=""/>
    </division>
    <division divisionname="Southern" divisionlinkid="2483">
      <team teamname="Arizona Roadrunners" shortname="Arizona Roadrunners"
teamlinkid="12017" newsfeed=""/>
      <team teamname="San Diego Surf Dawgs" shortname="San Diego Surf Dawgs"
teamlinkid="12019" newsfeed=""/>
      <team teamname="Sonora Pilots" shortname="Sonora Pilots" teamlinkid="12018"
newsfeed=""/>
      <team teamname="Team Mexico" shortname="Team Mexico" teamlinkid="12015"
newsfeed=""/>
      <team teamname="Yuma Scorpions" shortname="Yuma Scorpions" teamlinkid="12016"
newsfeed=""/>
    </division>
  </season>
  <season name="GBL All-Star Game 2010" seasonid="424" enableconfstandings="0"
enableconfstats="0">
    <division divisionname="All-Star Game" divisionlinkid="1326">
      <team teamname="Golden League" shortname="Golden League" teamlinkid="7558"
newsfeed=""/>
      <team teamname="Northern League" shortname="Northern League" teamlinkid="7559"
newsfeed=""/>
    </division>
  </season>
</league>
```

League Facilities:

Summary:

This route returns all of the facility information for a league.

Request URL Format:

:BaseURL/baseball/league/facilities/:leagueid/:format

Required Variables:

:leagueid

type: integer

Request URL Sample:

XML: [https://api.pointstreak.com/baseball/league/facilities/\[LEAGUEID\]/xml](https://api.pointstreak.com/baseball/league/facilities/[LEAGUEID]/xml)

JSON: [https://api.pointstreak.com/baseball/league/facilities/\[LEAGUEID\]/json](https://api.pointstreak.com/baseball/league/facilities/[LEAGUEID]/json)

Xml Example:

```
<?xml version="1.0" encoding="UTF-8"?>
<leaguefacilities leagueid="130">
  <complex complexid="158">
    <name>Blair Field</name>
    <address>4700 Deukmejian Drive</address>
    <city>Long Beach</city>
    <postal/>
    <phone>562-427-4487</phone>
    <province>CA</province>
    <country>United States</country>
  </complex>
  <complex complexid="157">
    <name>Telus Field</name>
    <address>11230-110 Street</address>
    <city>Edmonton</city>
    <postal>T5K 0A5</postal>
    <phone>780-414-4625</phone>
    <province>AB</province>
    <country>Canada</country>
  </complex>
</leaguefacilities>
```

Season Scoreboard:**Summary:**

This route returns the scoreboard for a season. The default view is for today, with the option to pass in a date to get the games for a specific day.

Request URL Format:

:BaseURL/baseball/season/scoreboard/:seasonid/:date/:format

Required Input Variables:

:seasonid

type: integer

Optional Input Variables:

:date

type: date

format: MM-DD-YYYY

Request URL Sample:

XML: [https://api.pointstreak.com/baseball/season/scoreboard/\[SEASONID\]/\[DATE\]/xml](https://api.pointstreak.com/baseball/season/scoreboard/[SEASONID]/[DATE]/xml)

JSON: [https://api.pointstreak.com/baseball/season/scoreboard/\[SEASONID\]/\[DATE\]/json](https://api.pointstreak.com/baseball/season/scoreboard/[SEASONID]/[DATE]/json)

Xml Example:

```
<?xml version="1.0" encoding="UTF-8"?>
<schedule timestamp="2016-01-19T11:33:51-0800" type="Todays Scoreboard">
  <league leagueid="120">
    <leaguename>Northwoods League</leaguename>
  </league>
  <season seasonid="29211">
    <seasonname>Northwoods League 2015</seasonname>
  </season>
  <game gameid="294190">
    <awayteam teamid="167" teamlinkid="167" awayid="87992">
      <teamname>Battle Creek Bombers</teamname>
      <shortname>Battle Crk</shortname>
    </awayteam>
    <hometeam teamid="3278" teamlinkid="3278" homeid="87999">
      <teamname>Wisconsin Rapids Rafters</teamname>
      <shortname>Wis Rapids</shortname>
      <probablepitcher playerlinkid="821989">Jon Malmin</probablepitcher>
    </hometeam>
    <awayscore>6</awayscore>
    <homescore>7</homescore>
    <field>Witter Field</field>
```

```
<timezone>CST</timezone>
<gamedate>2015-06-12</gamedate>
<gametime>17:06:00</gametime>
<gamestatus>
  <status>COMPLETE</status>
  <regulationinnings>7</regulationinnings>
  <inningsplayed>7</inningsplayed>
</gamestatus>
</game>
<game gameid="260180">
  <awayteam teamid="168" teamlinkid="168" awayid="87989">
    <teamname>Thunder Bay Border Cats</teamname>
    <shortname>ThunderBay</shortname>
  </awayteam>
  <hometeam teamid="165" teamlinkid="165" homeid="87985">
    <teamname>Eau Claire Express</teamname>
    <shortname>Eau Claire</shortname>
    <probablepitcher playerlinkid="803441">Griffin Jax</probablepitcher>
  </hometeam>
  <awayscore>4</awayscore>
  <homescore>5</homescore>
  <field>Carson Park</field>
  <timezone>CST</timezone>
  <gamedate>2015-06-12</gamedate>
  <gametime>17:08:00</gametime>
  <gamestatus>
    <status>COMPLETE</status>
    <regulationinnings>9</regulationinnings>
    <inningsplayed>7</inningsplayed>
  </gamestatus>
</game>
</schedule>
```

Season Standings

Summary:

This route returns the team standings for a given season - all divisions.

Request URL Format:

:BaseURL/baseball/season/standings/:seasonid/:format

Required Input Variables:

:seasonid

type: integer

Request URL Sample:

XML: [https://api.pointstreak.com/baseball/season/standings/\[SEASONID\]/xml](https://api.pointstreak.com/baseball/season/standings/[SEASONID]/xml)

JSON: [https://api.pointstreak.com/baseball/season/standings/\[SEASONID\]/json](https://api.pointstreak.com/baseball/season/standings/[SEASONID]/json)

Xml Example:

```
<?xml version="1.0" encoding="UTF-8"?>
<standings leagueid="120" leaguename="Northwoods League" leagueshortname="Northwoods">
  <season seasonid="29211" seasonname="Northwoods League 2015"
seasonshortname="Northwoods 2015"/>
  <conference name="SECOND HALF">
    <division divisionid="24529" name="North Division">
      <team>
        <teamlinkid>170</teamlinkid>
        <teamid>87988</teamid>
        <teamname>St. Cloud Rox</teamname>
        <shortname/>
        <wins>30</wins>
        <losses>8</losses>
        <pct>0.789</pct>
        <gb>0</gb>
        <streak>8W</streak>
        <last10>9-1</last10>
      </team>
      <team>
        <teamlinkid>3279</teamlinkid>
        <teamid>87991</teamid>
        <teamname>Willmar Stingers</teamname>
        <shortname/>
        <wins>24</wins>
        <losses>13</losses>
        <pct>0.649</pct>
        <gb>5.5</gb>
        <streak>5W</streak>
        <last10>7-3</last10>
      </team>
    </division>
    <division divisionid="24528" name="South Division">
      <team>
        <teamlinkid>74413</teamlinkid>
        <teamid>87995</teamid>
        <teamname>Kenosha Kingfish</teamname>
        <shortname/>
        <wins>25</wins>
        <losses>11</losses>
        <pct>0.694</pct>
        <gb>0</gb>
        <streak>2L</streak>
        <last10>6-4</last10>
      </team>
      <team>
        <teamlinkid>164</teamlinkid>
        <teamid>87998</teamid>
        <teamname>Madison Mallards</teamname>
```

```
<shortname/>
<wins>23</wins>
<losses>13</losses>
<pct>0.639</pct>
<gb>2</gb>
<streak>1W</streak>
<last10>8-2</last10>
</team>
</division>
</conference>
</standings>
```

Season Schedule:

Summary:

This route returns the full schedule for a season

Request URL Format:

:BaseURL/baseball/season/schedule/:seasonid/:format

Required Input Variables:

:seasonid

type: integer

Request URL Sample:

XML: [https://api.pointstreak.com/baseball/season/schedule/\[SEASONID\]/xml](https://api.pointstreak.com/baseball/season/schedule/[SEASONID]/xml)

JSON: [https://api.pointstreak.com/baseball/season/schedule/\[SEASONID\]/json](https://api.pointstreak.com/baseball/season/schedule/[SEASONID]/json)

Xml Example:

```
<?xml version="1.0" encoding="UTF-8"?>
<schedule timestamp="2016-01-19T11:39:39-0800" type="League Schedule">
  <league leagueid="120">
    <leaguename>Northwoods League</leaguename>
  </league>
  <season seasonid="29211">
```

```
<seasonname>Northwoods League 2015</seasonname>
</season>
<game gameid="260039" gamenumber="3">
  <conference_info>Conference</conference_info>
  <awayteam teamlinkid="74412" awayid="87994">
    <teamname>Kalamazoo Growlers</teamname>
    <shortname>Kalamazoo</shortname>
    <logo>http://www.pointstreak.com/baseball/logos/league120/team74412.gif</logo>
    <division divisionid="24528">
      <divisionname>South Division</divisionname>
    </division>
  </awayteam>
  <hometeam teamlinkid="164" homeid="87998">
    <teamname>Madison Mallards</teamname>
    <shortname>Madison</shortname>
    <logo>http://www.pointstreak.com/baseball/logos/league120/team11847.gif</logo>
    <division divisionid="24528">
      <divisionname>South Division</divisionname>
    </division>
    <probablepitcher playerlinkid="809538">Justin Hill</probablepitcher>
  </hometeam>
  <awayscore>4</awayscore>
  <homescore>9</homescore>
  <field>Warner Park</field>
  <timezone>CST</timezone>
  <gamedate>2015-05-26</gamedate>
  <gametime>18:35:00</gametime>
  <gamestatus>
    <status>COMPLETE</status>
    <regulationinnings>9</regulationinnings>
    <inningsplayed>9</inningsplayed>
  </gamestatus>
</game>
<game gameid="260038" gamenumber="2">
  <conference_info>Conference</conference_info>
  <awayteam teamlinkid="161" awayid="88000">
    <teamname>Wisconsin Woodchucks</teamname>
    <shortname>Wisconsin</shortname>
    <logo>http://www.pointstreak.com/baseball/logos/league120/team30969.gif</logo>
    <division divisionid="24528">
      <divisionname>South Division</divisionname>
    </division>
  </awayteam>
  <hometeam teamlinkid="3278" homeid="87999">
    <teamname>Wisconsin Rapids Rafters</teamname>
    <shortname>Wis Rapids</shortname>
    <logo>http://www.pointstreak.com/baseball/logos/league120/team3278.gif</logo>
    <division divisionid="24528">
      <divisionname>South Division</divisionname>
    </division>
    <probablepitcher playerlinkid="812796">Adam Hall</probablepitcher>
  </hometeam>
  <awayscore/>
  <homescore/>
  <field>Witter Field</field>
  <timezone>CST</timezone>
  <gamedate>2015-05-26</gamedate>
  <gametime>18:35:00</gametime>
  <gamestatus>
    <status>RESCHEDULED</status>
  </gamestatus>
</game>
</schedule>
```

Season Player Stats (Pitching and Batting):

Summary:

This route returns all of the players in a season with full stats. Stats are broken down into two elements: <pitching> and <batting>. The "pitching" element lists all pitchers in the season ordered by earned run average (<era>) ascending. The "batting" element lists all players and their batting stats ordered by batting average (<avg>) descending.

Request URL Format:

:BaseURL/baseball/season/stats/:seasonid/:format

Required Input Variables:

:seasonid

type: integer

Request URL Sample:

XML: [https://api.pointstreak.com/baseball/season/stats/\[SEASONID\]/xml](https://api.pointstreak.com/baseball/season/stats/[SEASONID]/xml)

JSON: [https://api.pointstreak.com/baseball/season/stats/\[SEASONID\]/json](https://api.pointstreak.com/baseball/season/stats/[SEASONID]/json)

Xml Example:

```
<?xml version="1.0" encoding="UTF-8"?>
<stats>
<link>stats.html?leagueid=120%26;seasonid=29211</link>
<season>Northwoods 2015</season>
```

```

    <pitching>
    <player playerlinkid="801711" playerid="801711">
      <jersey>28</jersey>
      <playername>Gregory, R</playername>
      <firstname>Reese</firstname>
      <lastname>Gregory</lastname>
      <teamname id="170" teamlinkid="170" teamid="87988" fullname="St. Cloud
Rox">STC</teamname>
      <wins>6</wins>
      <losses>3</losses>
      <ip>67.2</ip>
      <runs>14</runs>
      <er>11</er>
      <hits></hits>
      <bb>22</bb>
      <so>66</so>
      <bf>267</bf>
      <games>10</games>
      <gs>9</gs>
      <cg>0</cg>
      <cgl>0</cgl>
      <sho>0</sho>
      <sv>0</sv>
      <bsv>0</bsv>
      <oobp>.270</oobp>
      <oslg>.249</oslg>
      <oavg>.204</oavg>
      <era>1.46</era>
    </player>
  </pitching>
  <batting>
    <player playerlinkid="809090" playerid="809091">
      <jersey>1</jersey>
      <playername>McCoy, M</playername>
      <firstname>Mason</firstname>
      <lastname>McCoy</lastname>
      <teamname id="175" teamlinkid="175" teamid="87996" fullname="La Crosse
Loggers">LAC</teamname>
      <ab>305</ab>
      <runs>80</runs>
      <hits>112</hits>
      <bib>21</bib>
      <trib>4</trib>
      <hr>9</hr>
      <rbi>43</rbi>
      <bb>24</bb>
      <hp>4</hp>
      <so>38</so>
      <sf>3</sf>
      <sb>15</sb>
      <dp>6</dp>
      <obp>.417</obp>
      <slg>.551</slg>
      <avg>.367</avg>
    </player>
  </batting>
</stats>

```

Season Batting Leaders:

Summary:

This route returns the player stats for a season broken down into 3 ordered elements: 1) home runs (<hr> ordered descending), 2) batting average (<avr> ordered descending) and 3) runs batted in (<rbi> ordered descending).

Request URL Format:

:BaseURL/baseball/season/battingleaders/:seasonid/:format

Required Input Variables:

:seasonid

type: integer

Request URL Sample:

XML: [https://api.pointstreak.com/baseball/season/battingleaders/\[SEASONID\]/xml](https://api.pointstreak.com/baseball/season/battingleaders/[SEASONID]/xml)

JSON: [https://api.pointstreak.com/baseball/season/battingleaders/\[SEASONID\]/json](https://api.pointstreak.com/baseball/season/battingleaders/[SEASONID]/json)

Xml Example:

```
<?xml version="1.0" encoding="UTF-8"?>
<stats>
<link>stats.html?leagueid=120%26;seasonid=29211%26;view=batting</link>
<season>Northwoods 2015</season>
  <hr>
    <batter playerlinkid="799072" playerid="799073">
      <jersey>29</jersey>
      <playername>Weiss, A</playername>
      <firstname>Albee</firstname>
      <lastname>Weiss</lastname>
      <teamname id="161" teamlinkid="161" teamid="88000" fullname="Wisconsin
Woodchucks">WIS</teamname>
      <games>61</games>
      <ab>224</ab>
      <runs>32</runs>
      <hits>59</hits>
      <bib>9</bib>
```

```

        <trib>0</trib>
        <hr>17</hr>
        <rbi>49</rbi>
        <bb>18</bb>
        <hp>3</hp>
        <so>58</so>
        <sf>0</sf>
        <sb>0</sb>
        <dp>7</dp>
        <obp>.327</obp>
        <slg>.531</slg>
        <avg>.263</avg>
    </batter>
</hr>
<avr>
<batter playerlinkid="809090" playerid="809091">
    <jersey>1</jersey>
    <playername>McCoy, M</playername>
    <firstname>Mason</firstname>
    <lastname>McCoy</lastname>
    <teamname id="175" teamlinkid="175" teamid="87996" fullname="La Crosse
Loggers">LAC</teamname>
    <games>71</games>
    <ab>305</ab>
    <runs>80</runs>
    <hits>112</hits>
    <bib>21</bib>
    <trib>4</trib>
    <hr>9</hr>
    <rbi>43</rbi>
    <bb>24</bb>
    <hp>4</hp>
    <so>38</so>
    <sf>3</sf>
    <sb>15</sb>
    <dp>6</dp>
    <obp>.417</obp>
    <slg>.551</slg>
    <avg>.367</avg>
</batter>
</avr>
<rbi>
<batter playerlinkid="811907" playerid="811907">
    <jersey>70</jersey>
    <playername>Filia, E</playername>
    <firstname>Eric</firstname>
    <lastname>Filia</lastname>
    <teamname id="74413" teamlinkid="74413" teamid="87995" fullname="Kenosha
Kingfish">KEN</teamname>
    <games>65</games>
    <ab>262</ab>
    <runs>48</runs>
    <hits>89</hits>
    <bib>17</bib>
    <trib>2</trib>
    <hr>6</hr>
    <rbi>55</rbi>
    <bb>27</bb>
    <hp>5</hp>
    <so>15</so>
    <sf>6</sf>
    <sb>22</sb>
    <dp>5</dp>

```

```
        <obp>.403</obp>
        <slg>.489</slg>
        <avg>.340</avg>
    </batter>
</rbi>
</stats>
```

Season Pitching Leaders:

Summary:

This route returns the pitching stats for a season broken down into 5 ordered elements: 1) shutouts (<sho> ordered descending), 2) earned run average (<era> ordered ascending) , 3) wins (<wins> ordered descending), 4) saves (<saves> ordered descending), and 5) strike outs (<so> ordered descending).

Request URL Format:

:BaseURL/baseball/season/pitchingleaders/:seasonid/:format

Required Input Variables:

:seasonid

type: integer

Request URL Sample:

XML: [https://api.pointstreak.com/baseball/season/pitchingleaders/\[SEASONID\]/xml](https://api.pointstreak.com/baseball/season/pitchingleaders/[SEASONID]/xml)

JSON: [https://api.pointstreak.com/baseball/season/pitchingleaders/\[SEASONID\]/json](https://api.pointstreak.com/baseball/season/pitchingleaders/[SEASONID]/json)

Xml Example:

```
<?xml version="1.0" encoding="UTF-8"?>
<stats>
  <link>stats.html?leagueid=120&seasonid=29211&view=pitching</link>
  <season>Northwoods 2015</season>
  <sho>
    <pitcher playerlinkid="820828" playerid="820828">
      <jersey>20</jersey>
      <playername>Skapura, Devin</playername>
      <firstname>Devin</firstname>
```

```

        <lastname>Skapura</lastname>
        <teamname id="161" teamlinkid="161" teamid="88000" fullname="Wisconsin
Woodchucks">WIS</teamname>
        <wins>2</wins>
        <ip>59.2</ip>
        <runs>19</runs>
        <er>14</er>
        <hits>40</hits>
        <bb>13</bb>
        <so>51</so>
        <bf>235</bf>
        <games>10</games>
        <gs>10</gs>
        <cg>1</cg>
        <cgl>0</cgl>
        <sho>1</sho>
        <sv>0</sv>
        <bsv>0</bsv>
        <oobp>.234</oobp>
        <oslg>.282</oslg>
        <oavg>.182</oavg>
        <era>2.11</era>
    </pitcher>
</sho>
<era>
    <pitcher playerlinkid="801711" playerid="801711">
        <jersey>28</jersey>
        <playername>Gregory, Reese</playername>
        <firstname>Reese</firstname>
        <lastname>Gregory</lastname>
        <teamname id="170" teamlinkid="170" teamid="87988" fullname="St. Cloud
Rox">STC</teamname>
        <wins>6</wins>
        <ip>67.2</ip>
        <runs>14</runs>
        <er>11</er>
        <hits>50</hits>
        <bb>22</bb>
        <so>66</so>
        <bf>267</bf>
        <games>10</games>
        <gs>9</gs>
        <cg>0</cg>
        <cgl>0</cgl>
        <sho>0</sho>
        <sv>0</sv>
        <bsv>0</bsv>
        <oobp>.270</oobp>
        <oslg>.249</oslg>
        <oavg>.204</oavg>
        <era>1.46</era>
    </pitcher>
</era>
<wins>
    <pitcher playerlinkid="812797" playerid="812797">
        <jersey>21</jersey>
        <playername>Johansmeier, Jake</playername>
        <firstname>Jake</firstname>
        <lastname>Johansmeier</lastname>
        <teamname id="3278" teamlinkid="3278" teamid="87999" fullname="Wisconsin Rapids
Rafters">WRP</teamname>
        <wins>7</wins>
        <ip>62.2</ip>

```

```

        <runs>22</runs>
        <er>21</er>
        <hits>65</hits>
        <bb>13</bb>
        <so>40</so>
        <bf>262</bf>
        <games>12</games>
        <gs>7</gs>
        <cg>1</cg>
        <cgl>0</cgl>
        <sho>0</sho>
        <sv>0</sv>
        <bsv>0</bsv>
        <oobp>.321</oobp>
        <oslg>.362</oslg>
        <oavg>.267</oavg>
        <era>3.02</era>
    </pitcher>
</wins>
<saves>
    <pitcher playerlinkid="756556" playerid="756556">
        <jersey>25</jersey>
        <playername>Anderson, Brady</playername>
        <firstname>Brady</firstname>
        <lastname>Anderson</lastname>
        <teamname id="3279" fullname="Willmar Stingers">WIL</teamname>
        <wins>0</wins>
        <ip>24.1</ip>
        <runs>5</runs>
        <er>5</er>
        <hits>24</hits>
        <bb>2</bb>
        <so>32</so>
        <bf>100</bf>
        <games>23</games>
        <gs>0</gs>
        <cg>0</cg>
        <cgl>0</cgl>
        <sho>0</sho>
        <sv>19</sv>
        <bsv>0</bsv>
        <oobp>.280</oobp>
        <oslg>.302</oslg>
        <oavg>.250</oavg>
        <era>1.85</era>
    </pitcher>
</saves>
<so>
    <pitcher playerlinkid="811440" playerid="811442">
        <jersey>25</jersey>
        <playername>Hamilton, Grant</playername>
        <firstname>Grant</firstname>
        <lastname>Hamilton</lastname>
        <teamname id="169" fullname="Mankato MoonDogs">MAN</teamname>
        <wins>3</wins>
        <ip>56.2</ip>
        <runs>24</runs>
        <er>16</er>
        <hits>49</hits>
        <bb>30</bb>
        <so>73</so>
        <bf>249</bf>
        <games>18</games>

```

```
<gs>7</gs>
<cg>0</cg>
<cgl>0</cgl>
<sho>0</sho>
<sv>4</sv>
<bsv>0</bsv>
<oobp>.329</oobp>
<oslg>.315</oslg>
<oavg>.227</oavg>
<era>2.54</era>
</pitcher>
</so>
</stats>
```

Season Fielding Leaders:

Summary:

This route returns fielding stats for a season. Stats are broken down by positions. Each position element has an attribute denoting the position and within each position stats are ordered by fielding percentage (<fpct>) descending.

Request URL Format:

:BaseURL/baseball/season/fieldingleaders/:seasonid/:format

Required Input Variables:

:seasonid

type: integer

Request URL Sample:

XML: [https://api.pointstreak.com/baseball/season/fieldingleaders/\[SEASONID\]/xml](https://api.pointstreak.com/baseball/season/fieldingleaders/[SEASONID]/xml)

JSON: [https://api.pointstreak.com/baseball/season/fieldingleaders/\[SEASONID\]/json](https://api.pointstreak.com/baseball/season/fieldingleaders/[SEASONID]/json)

Xml Example:

```
<?xml version="1.0" encoding="UTF-8"?>
<stats>
  <link>stats.html?leagueid=120&seasonid=29211&view=fielding</link>
  <season>Northwoods 2015</season>
  <position position="P">
    <player playerlinkid="812981">
      <name>Adkins, D</name>
      <teamname>WIL</teamname>
      <gp>5</gp>
      <po>1</po>
      <a>3</a>
      <fpct>1.000</fpct>
    </player>
  </position>
  <position position="C">
    <player playerlinkid="816591">
      <name>Aiello, M</name>
      <teamname>MAD</teamname>
      <gp>4</gp>
      <po>30</po>
      <a>2</a>
      <fpct>1.000</fpct>
    </player>
  </position>
  <position position="1B">
    <player playerlinkid="812882">
      <name>Hanke, C</name>
      <teamname>WIS</teamname>
      <gp>5</gp>
      <po>10</po>
      <a>1</a>
      <fpct>1.000</fpct>
    </player>
  </position>
  <position position="2B">
    <player playerlinkid="808810">
      <name>Altmann, J</name>
      <teamname>STC</teamname>
      <gp>4</gp>
      <po>3</po>
      <a>2</a>
      <fpct>1.000</fpct>
    </player>
  </position>
  <position position="3B">
    <player playerlinkid="801211">
      <name>Heid, M</name>
      <teamname>ALX</teamname>
      <gp>12</gp>
      <po>19</po>
      <a>0</a>
      <fpct>1.000</fpct>
    </player>
  </position>
  <position position="SS">
    <player playerlinkid="813099">
      <name>Murfee, P</name>
      <teamname>TB</teamname>
      <gp>9</gp>
      <po>5</po>
      <a>14</a>
```

```

        <fpct>1.000</fpct>
    </player>
</position>
<position position="LF">
    <player playerlinkid="801211">
        <name>Heid, M</name>
        <teamname>ALX</teamname>
        <gp>12</gp>
        <po>19</po>
        <a>0</a>
        <fpct>1.000</fpct>
    </player>
</position>
<position position="RF">
    <player playerlinkid="801211">
        <name>Heid, M</name>
        <teamname>ALX</teamname>
        <gp>12</gp>
        <po>19</po>
        <a>0</a>
        <fpct>1.000</fpct>
    </player>
</position>
<position position="CF">
    <player playerlinkid="801729">
        <name>Carson, M</name>
        <teamname>STC</teamname>
        <gp>23</gp>
        <po>39</po>
        <a>0</a>
        <fpct>.951</fpct>
    </player>
</position>
<position position="EF">
    <player playerlinkid="801211">
        <name>Heid, M</name>
        <teamname>ALX</teamname>
        <gp>12</gp>
        <po>19</po>
        <a>0</a>
        <fpct>1.000</fpct>
    </player>
</position>
</stats>

```

Division Standings:

Summary:

Will provide the full standings and team stats for a single division within a season - ordered by games back <gb> ascending.

Request URL Format:

:BaseURL/baseball/division/standings/:divisionid/:seasonid/:format

Required Input Variables:

:divisionid

type: integer

:seasonid

type: integer

Request URL Sample:

XML: [https://api.pointstreak.com/baseball/division/standings/\[DIVISIONID\]/\[SEASONID\]/xml](https://api.pointstreak.com/baseball/division/standings/[DIVISIONID]/[SEASONID]/xml)

JSON: [https://api.pointstreak.com/baseball/division/standings/\[DIVISIONID\]/\[SEASONID\]/json](https://api.pointstreak.com/baseball/division/standings/[DIVISIONID]/[SEASONID]/json)

Xml Example:

```
<?xml version="1.0" encoding="UTF-8"?>
<league>
  <league leagueid="120"/>
  <season seasonid="29992">
    <seasonname>Northwoods League 2016</seasonname>

    <link>http://www.pointstreak.com/baseball/division_standings.html?divisionid=26611%26;
seasonid=29992</link>
  </season>
  <teams>
    <teamlinkid>104016</teamlinkid>
    <teamid>104016</teamid>
    <name>Rockford Baseball</name>
    <shortname/>
    <games>0</games>
    <wins>0</wins>
    <losses>0</losses>
    <ties>0</ties>
    <rs>0.0</rs>
  </teams>
</league>
```

```
<ra>0.0</ra>
<rdiff>0</rdiff>
<pct>0.000</pct>
<gb/>
<streak>--</streak>
<last10>0-0</last10>
</teams>
<teams>
  <teamlinkid>167</teamlinkid>
  <teamid>103999</teamid>
  <name>Battle Creek Bombers</name>
  <shortname/>
  <games>0</games>
  <wins>0</wins>
  <losses>0</losses>
  <ties>0</ties>
  <rs>0.0</rs>
  <ra>0.0</ra>
  <rdiff>0</rdiff>
  <pct>0.000</pct>
  <gb/>
  <streak>--</streak>
  <last10>0-0</last10>
</teams>
</league>
```

Division Scoreboard:

Summary:

This route returns the scoreboard for a division in a given season. The default view is for today, with the option to pass in a date to get the games for a specific day.

Request URL Format:

:BaseURL/baseball/division/scoreboard/:divisionid/:seasonid/:format

Required Input Variables:

:divisionid

type: integer

:seasonid

type: integer

Optional Input Variables:

:date

type: Date

format: MM-DD-YYYY

:seasonid

type: integer

Request URL Sample:

XML: [https://api.pointstreak.com/baseball/division/scoreboard/\[DIVISIONID\]/\[SEASONID\]/xml](https://api.pointstreak.com/baseball/division/scoreboard/[DIVISIONID]/[SEASONID]/xml)

JSON: [https://api.pointstreak.com/baseball/division/scoreboard/\[DIVISIONID\]/\[SEASONID\]/json](https://api.pointstreak.com/baseball/division/scoreboard/[DIVISIONID]/[SEASONID]/json)

Xml Example:

```
<?xml version="1.0" encoding="UTF-8"?>
<schedule timestamp="2016-01-19T10:59:04-0800" type="Todays Division Scoreboard">
  <league leagueid="120">
    <leaguename>Northwoods League</leaguename>
  </league>
  <season seasonid="29211">
    <seasonname>Northwoods League 2015</seasonname>
  </season>
  <division divisionlinkid="141">
    <divisionname>South Division</divisionname>
  </division>
  <game gameid="294190">
    <awayteam teamid="167" teamlinkid="167" awayid="87992">
      <teamname>Battle Creek Bombers</teamname>
      <shortname>Battle Crk</shortname>
    </awayteam>
```

```

<hometeam teamid="3278" teamlinkid="3278" homeid="87999">
  <teamname>Wisconsin Rapids Rafters</teamname>
  <shortname>Wis Rapids</shortname>
  <probablepitcher playerlinkid="821989">Jon Malmin</probablepitcher>
</hometeam>
<awayscore>6</awayscore>
<homescore>7</homescore>
<field>Witter Field</field>
<timezone>CST</timezone>
<gamedate>2015-06-12</gamedate>
<gametime>17:06:00</gametime>
<gamestatus>
  <status>COMPLETE</status>
  <regulationinnings>7</regulationinnings>
  <inningsplayed>7</inningsplayed>
</gamestatus>
</game>
<game gameid="294327">
  <awayteam teamid="30977" teamlinkid="30977" awayid="87997">
    <teamname>Lakeshore Chinooks</teamname>
    <shortname>Lakeshore</shortname>
  </awayteam>
  <hometeam teamid="164" teamlinkid="164" homeid="87998">
    <teamname>Madison Mallards</teamname>
    <shortname>Madison</shortname>
  </hometeam>
  <awayscore>5</awayscore>
  <homescore>2</homescore>
  <field>Warner Park</field>
  <timezone>CST</timezone>
  <gamedate>2015-06-12</gamedate>
  <gametime>17:05:00</gametime>
  <gamestatus>
    <status>COMPLETE</status>
    <regulationinnings>9</regulationinnings>
    <inningsplayed>9</inningsplayed>
  </gamestatus>
</game>
<game gameid="294189">
  <awayteam teamid="74413" teamlinkid="74413" awayid="87995">
    <teamname>Kenosha Kingfish</teamname>
    <shortname>Kenosha</shortname>
    <probablepitcher playerlinkid="798947">P.J. Schuster Jr.</probablepitcher>
  </awayteam>
  <hometeam teamid="175" teamlinkid="175" homeid="87996">
    <teamname>La Crosse Loggers</teamname>
    <shortname>La Crosse</shortname>
  </hometeam>
  <awayscore>10</awayscore>
  <homescore>1</homescore>
  <field>Copeland Park</field>
  <timezone>CST</timezone>
  <gamedate>2015-06-12</gamedate>
  <gametime>18:05:00</gametime>
  <gamestatus>
    <status>COMPLETE</status>
    <regulationinnings>7</regulationinnings>
    <inningsplayed>7</inningsplayed>
  </gamestatus>
</game>
</schedule>

```

Division Schedule:

Summary:

Returns the full schedule for a division in a given season.

Request URL Format:

:BaseURL/baseball/division/schedule/:divisionid/:seasonid/:format

Required Input Variables:

:divisionid

type: integer

:seasonid

type: integer

Request URL Sample:

XML: [https://api.pointstreak.com/baseball/division/schedule/\[DIVISIONID\]/\[SEASONID\]/xml](https://api.pointstreak.com/baseball/division/schedule/[DIVISIONID]/[SEASONID]/xml)

JSON: [https://api.pointstreak.com/baseball/division/schedule/\[DIVISIONID\]/\[SEASONID\]/json](https://api.pointstreak.com/baseball/division/schedule/[DIVISIONID]/[SEASONID]/json)

Xml Example:

```
<?xml version="1.0" encoding="UTF-8"?>
<schedule timestamp="2015-12-07T16:30:18-0800" type="Division Schedule">
  <league leagueid="200">
    <leaguename>Frontier League</leaguename>
  </league>
  <season seasonid="18854">
    <seasonname>Playoffs 2012</seasonname>
  </season>
  <division divisionlinkid="1114">
```

```

    <divisionname>Playoffs</divisionname>
</division>
<game gameid="111144" gamenumber="H123">
  <awayteam teamlinkid="6353" awayid="46982">
    <teamname>Florence Freedom</teamname>
    <shortname>Florence</shortname>
    <probablepitcher playerlinkid="294758">Tim Brown</probablepitcher>
  </awayteam>
  <hometeam teamlinkid="6348" homeid="46985">
    <teamname>Gateway Grizzlies</teamname>
    <shortname>Gateway</shortname>
    <probablepitcher playerlinkid="299415">Brandon Mathes</probablepitcher>
  </hometeam>
  <awayscore>2</awayscore>
  <homescore>5</homescore>
  <field>GCS Ballpark</field>
  <timezone>CST</timezone>
  <gamedate>2012-09-05</gamedate>
  <gametime>18:47:00</gametime>
  <gamestatus>
    <status>COMPLETE</status>
    <regulationinnings>9</regulationinnings>
    <inningsplayed>9</inningsplayed>
  </gamestatus>
</game>
<game gameid="111139" gamenumber="235">
  <awayteam teamlinkid="6350" awayid="46983">
    <teamname>Southern Illinois Miners</teamname>
    <shortname>S Illinois</shortname>
    <probablepitcher playerlinkid="297209">Reid Kelly</probablepitcher>
  </awayteam>
  <hometeam teamlinkid="6342" homeid="46984">
    <teamname>Traverse City Beach Bums</teamname>
    <shortname>Traverse City</shortname>
    <probablepitcher playerlinkid="96909">David Harden</probablepitcher>
  </hometeam>
  <awayscore>1</awayscore>
  <homescore>0</homescore>
  <field>Wuerfel Park</field>
  <timezone>EST</timezone>
  <gamedate>2012-09-05</gamedate>
  <gametime>19:13:00</gametime>
  <gamestatus>
    <status>COMPLETE</status>
    <regulationinnings>9</regulationinnings>
    <inningsplayed>9</inningsplayed>
  </gamestatus>
</game>
</schedule>

```

Division Stats:

Summary:

This route returns player stats for a division within a given season. Stats are broken down into two elements: <pitching> and <batting>. The "pitching" element lists all pitchers in the season ordered by earned run average (<era>) ascending. The "batting" element lists all players and their batting stats ordered by batting average (<avg>) descending.

Request URL Format:

:BaseURL/baseball/division/stats/:divisionid/:seasonid/:format

Required Input Variables:

:divisionid

type: integer

:seasonid

type: integer

Request URL Sample:

XML: [https://api.pointstreak.com/baseball/division/stats/\[DIVISIONID\]/\[SEASONID\]/xml](https://api.pointstreak.com/baseball/division/stats/[DIVISIONID]/[SEASONID]/xml)

JSON: [https://api.pointstreak.com/baseball/division/stats/\[DIVISIONID\]/\[SEASONID\]/json](https://api.pointstreak.com/baseball/division/stats/[DIVISIONID]/[SEASONID]/json)

Xml Example:

```
<?xml version="1.0" encoding="UTF-8"?>
<stats>
<link>division_stats.html?divisionid=1114%26;seasonid=18854</link>
<season>Northwoods 2015</season>
  <pitching>
    <player playerlinkid="801711" playerid="801711">
      <jersey>28</jersey>
      <playername>Gregory, R</playername>
      <firstname>Reese</firstname>
      <lastname>Gregory</lastname>
      <teamname id="170" fullname="St. Cloud Rox">STC</teamname>
      <wins>6</wins>
      <losses>3</losses>
      <ip>67.2</ip>
      <runs>14</runs>
      <er>11</er>
      <hits></hits>
```

```

                <bb>22</bb>
                <so>66</so>
                <bf>267</bf>
                <games>10</games>
                <gs>9</gs>
                <cg>0</cg>
                <cgl>0</cgl>
                <sho>0</sho>
                <sv>0</sv>
                <bsv>0</bsv>
                <oobp>.270</oobp>
                <oslg>.249</oslg>
                <oavg>.204</oavg>
                <era>1.46</era>
        </player>
        <player playerlinkid="820828" playerid="820828">
                <jersey>20</jersey>
                <playername>Skapura, D</playername>
                <firstname>Devin</firstname>
                <lastname>Skapura</lastname>
                <teamname id="161" fullname="Wisconsin
Woodchucks">WIS</teamname>
                <wins>2</wins>
                <losses>4</losses>
                <ip>59.2</ip>
                <runs>19</runs>
                <er>14</er>
                <hits></hits>
                <bb>13</bb>
                <so>51</so>
                <bf>235</bf>
                <games>10</games>
                <gs>10</gs>
                <cg>1</cg>
                <cgl>0</cgl>
                <sho>1</sho>
                <sv>0</sv>
                <bsv>0</bsv>
                <oobp>.234</oobp>
                <oslg>.282</oslg>
                <oavg>.182</oavg>
                <era>2.11</era>
        </player>
</pitching>
<batting>
        <player playerlinkid="809090" playerid="809091">
                <jersey>1</jersey>
                <playername>McCoy, M</playername>
                <firstname>Mason</firstname>
                <lastname>McCoy</lastname>
                <teamname id="175" fullname="La Crosse
Loggers">LAC</teamname>
                <ab>305</ab>
                <runs>80</runs>
                <hits>112</hits>
                <bib>21</bib>
                <trib>4</trib>
                <hr>9</hr>
                <rbi>43</rbi>
                <bb>24</bb>
                <hp>4</hp>
                <so>38</so>
                <sf>3</sf>

```

```

        <sb>15</sb>
        <dp>6</dp>
        <obp>.417</obp>
        <slg>.551</slg>
        <avg>.367</avg>
    </player>
    <player playerlinkid="813104" playerid="813104">
        <jersey>19</jersey>
        <playername>James, J</playername>
        <firstname>Jared</firstname>
        <lastname>James</lastname>
        <teamname id="168" fullname="Thunder Bay Border
Cats">TB</teamname>
        <ab>231</ab>
        <runs>48</runs>
        <hits>84</hits>
        <bib>16</bib>
        <trib>5</trib>
        <hr>5</hr>
        <rbi>30</rbi>
        <bb>23</bb>
        <hp>3</hp>
        <so>24</so>
        <sf>1</sf>
        <sb>3</sb>
        <dp>3</dp>
        <obp>.426</obp>
        <slg>.541</slg>
        <avg>.364</avg>
    </player>
</batting>
</stats>

```

Division Batting Leaders:

Summary:

This route returns the player batting stats for a division within a given season. Stats are broken down into 3 ordered elements: 1) home runs (<hr> ordered descending), 2) batting average (<avr> ordered descending) and 3) runs batted in (<rbi> ordered descending).

Request URL Format:

:BaseURL/baseball/division/battingleaders/:divisionid/:seasonid/:format

Required Input Variables:

:divisionid

type: integer

:seasonid

type: integer

Request URL Sample:

XML: [https://api.pointstreak.com/baseball/division/battingleaders/\[DIVISIONID\]/\[SEASONID\]/xml](https://api.pointstreak.com/baseball/division/battingleaders/[DIVISIONID]/[SEASONID]/xml)

JSON: [https://api.pointstreak.com/baseball/division/battingleaders/\[DIVISIONID\]/\[SEASONID\]/json](https://api.pointstreak.com/baseball/division/battingleaders/[DIVISIONID]/[SEASONID]/json)

Xml Example:

```
<?xml version="1.0" encoding="UTF-8"?>
<stats>
  <link>stats.html?leagueid=120%26;seasonid=29211%26;view=batting</link>
  <season>Northwoods 2015</season>
  <hr>
    <batter playerlinkid="799072" playerid="799073">
      <jersey>29</jersey>
      <playername>Weiss, A</playername>
      <firstname>Albee</firstname>
      <lastname>Weiss</lastname>
      <teamname id="161" fullname="Wisconsin
Woodchucks">WIS</teamname>
      <games>61</games>
      <ab>224</ab>
      <runs>32</runs>
      <hits>59</hits>
      <bib>9</bib>
      <trib>0</trib>
      <hr>17</hr>
      <rbi>49</rbi>
      <bb>18</bb>
      <hp>3</hp>
      <so>58</so>
      <sf>0</sf>
      <sb>0</sb>
      <dp>7</dp>
      <obp>.327</obp>
      <slg>.531</slg>
      <avg>.263</avg>
    </batter>
  <avr>
    <batter playerlinkid="809090" playerid="809091">
      <jersey>1</jersey>
      <playername>McCoy, M</playername>
      <firstname>Mason</firstname>
      <lastname>McCoy</lastname>
      <teamname id="175" fullname="La Crosse
Loggers">LAC</teamname>
```

```

        <games>71</games>
        <ab>305</ab>
        <runs>80</runs>
        <hits>112</hits>
        <bib>21</bib>
        <trib>4</trib>
        <hr>9</hr>
        <rbi>43</rbi>
        <bb>24</bb>
        <hp>4</hp>
        <so>38</so>
        <sf>3</sf>
        <sb>15</sb>
        <dp>6</dp>
        <obp>.417</obp>
        <slg>.551</slg>
        <avg>.367</avg>
    </batter>
</avr>
<rbi>
    <batter playerlinkid="811907" playerid="811907">
        <jersey>70</jersey>
        <playername>Filia, E</playername>
        <firstname>Eric</firstname>
        <lastname>Filia</lastname>
        <teamname id="74413" fullname="Kenosha
Kingfish">KEN</teamname>
        <games>65</games>
        <ab>262</ab>
        <runs>48</runs>
        <hits>89</hits>
        <bib>17</bib>
        <trib>2</trib>
        <hr>6</hr>
        <rbi>55</rbi>
        <bb>27</bb>
        <hp>5</hp>
        <so>15</so>
        <sf>6</sf>
        <sb>22</sb>
        <dp>5</dp>
        <obp>.403</obp>
        <slg>.489</slg>
        <avg>.340</avg>
    </batter>
</rbi>
</stats>

```

Division Pitching Leaders:

Summary:

This route returns the pitching stats for a division within a given season. Stats are broken down into 5 ordered elements: 1) shutouts (<sho> ordered descending), 2) earned run average (<era> ordered ascending) , 3) wins (<wins> ordered descending), 4) saves (<saves> ordered descending), and 5) strike outs (<so> ordered descending). .

Request URL Format:

:BaseURL/baseball/division/pitchingleaders/:divisionid/:seasonid/:format

Required Input Variables:

:divisionid

type: integer

:seasonid

type: integer

Request URL Sample:

XML: [https://api.pointstreak.com/baseball/division/pitchingleaders/\[DIVISIONID\]/\[SEASONID\]/xml](https://api.pointstreak.com/baseball/division/pitchingleaders/[DIVISIONID]/[SEASONID]/xml)

JSON: [https://api.pointstreak.com/baseball/division/pitchingleaders/\[DIVISIONID\]/\[SEASONID\]/json](https://api.pointstreak.com/baseball/division/pitchingleaders/[DIVISIONID]/[SEASONID]/json)

Xml Example:

```
<?xml version="1.0" encoding="UTF-8"?>
<stats>
  <link>stats.html?leagueid=120&seasonid=29211&view=pitching</link>
  <sho>
    <pitcher playerlinkid="820828" playerid="820828">
      <jersey>20</jersey>
      <playername>Skapura, Devin</playername>
      <firstname>Devin</firstname>
      <lastname>Skapura</lastname>
      <teamname id="161" fullname="Wisconsin Woodchucks">WIS</teamname>
      <wins>2</wins>
      <ip>59.2</ip>
      <runs>19</runs>
      <er>14</er>
      <hits>40</hits>
      <bb>13</bb>
      <so>51</so>
    </pitcher>
  </sho>
</stats>
```

```

                <bf>235</bf>
                <games>10</games>
                <gs>10</gs>
                <cg>1</cg>
                <cgl>0</cgl>
                <sho>1</sho>
                <sv>0</sv>
                <bsv>0</bsv>
                <oobp>.234</oobp>
                <oslg>.282</oslg>
                <oavg>.182</oavg>
                <era>2.11</era>
            </pitcher>
        </sho>
        <era>
            <pitcher playerlinkid="801711" playerid="801711">
                <jersey>28</jersey>
                <playername>Gregory, Reese</playername>
                <firstname>Reese</firstname>
                <lastname>Gregory</lastname>
                <teamname id="170" fullname="St. Cloud Rox">STC</teamname>
                <wins>6</wins>
                <ip>67.2</ip>
                <runs>14</runs>
                <er>11</er>
                <hits>50</hits>
                <bb>22</bb>
                <so>66</so>
                <bf>267</bf>
                <games>10</games>
                <gs>9</gs>
                <cg>0</cg>
                <cgl>0</cgl>
                <sho>0</sho>
                <sv>0</sv>
                <bsv>0</bsv>
                <oobp>.270</oobp>
                <oslg>.249</oslg>
                <oavg>.204</oavg>
                <era>1.46</era>
            </pitcher>
        </era>
        <wins>
            <pitcher playerlinkid="812797" playerid="812797">
                <jersey>21</jersey>
                <playername>Johansmeier, Jake</playername>
                <firstname>Jake</firstname>
                <lastname>Johansmeier</lastname>
                <teamname id="3278" fullname="Wisconsin Rapids
Rafters">WRP</teamname>
                <wins>7</wins>
                <ip>62.2</ip>
                <runs>22</runs>
                <er>21</er>
                <hits>65</hits>
                <bb>13</bb>
                <so>40</so>
                <bf>262</bf>
                <games>12</games>
                <gs>7</gs>
                <cg>1</cg>
                <cgl>0</cgl>
                <sho>0</sho>

```

```

        <sv>0</sv>
        <bsv>0</bsv>
        <oobp>.321</oobp>
        <oslg>.362</oslg>
        <oavg>.267</oavg>
        <era>3.02</era>
    </pitcher>
</wins>
<saves>
    <pitcher playerlinkid="756556" playerid="756556">
        <jersey>25</jersey>
        <playername>Anderson, Brady</playername>
        <firstname>Brady</firstname>
        <lastname>Anderson</lastname>
        <teamname id="3279" fullname="Willmar Stingers">WIL</teamname>
        <wins>0</wins>
        <ip>24.1</ip>
        <runs>5</runs>
        <er>5</er>
        <hits>24</hits>
        <bb>2</bb>
        <so>32</so>
        <bf>100</bf>
        <games>23</games>
        <gs>0</gs>
        <cg>0</cg>
        <cgl>0</cgl>
        <sho>0</sho>
        <sv>19</sv>
        <bsv>0</bsv>
        <oobp>.280</oobp>
        <oslg>.302</oslg>
        <oavg>.250</oavg>
        <era>1.85</era>
    </pitcher>
</saves>
<so>
    <pitcher playerlinkid="811440" playerid="811442">
        <jersey>25</jersey>
        <playername>Hamilton, Grant</playername>
        <firstname>Grant</firstname>
        <lastname>Hamilton</lastname>
        <teamname id="169" fullname="Mankato MoonDogs">MAN</teamname>
        <wins>3</wins>
        <ip>56.2</ip>
        <runs>24</runs>
        <er>16</er>
        <hits>49</hits>
        <bb>30</bb>
        <so>73</so>
        <bf>249</bf>
        <games>18</games>
        <gs>7</gs>
        <cg>0</cg>
        <cgl>0</cgl>
        <sho>0</sho>
        <sv>4</sv>
        <bsv>0</bsv>
        <oobp>.329</oobp>
        <oslg>.315</oslg>
        <oavg>.227</oavg>
        <era>2.54</era>
    </pitcher>

```

```
</so>  
</stats>
```

Division Fielding Leaders:

Summary:

This route returns fielding stats for a division within a given season. Stats are broken down by positions. Each position element has an attribute denoting the position and within each position stats are ordered by fielding percentage (<fpct>) descending.

Request URL Format:

:BaseURL/baseball/division/fieldingleaders/:divisionid/:seasonid/:format

Required Input Variables:

:divisionid

type: integer

:seasonid

type: integer

Request URL Sample:

XML: [https://api.pointstreak.com/baseball/division/fieldingleaders/\[DIVISIONID\]/\[SEASONID\]/xml](https://api.pointstreak.com/baseball/division/fieldingleaders/[DIVISIONID]/[SEASONID]/xml)

JSON: [https://api.pointstreak.com/baseball/division/fieldingleaders/\[DIVISIONID\]/\[SEASONID\]/json](https://api.pointstreak.com/baseball/division/fieldingleaders/[DIVISIONID]/[SEASONID]/json)

Xml Example:

```
<?xml version="1.0" encoding="UTF-8"?>
```

```
<stats>
  <link>division_leaders.html?divisionid=141&seasonid=29211</link>
  <division>South Division</division>
  <position position="P">
    <player playerlinkid="809092">
      <name>Echavia, M</name>
      <teamname>LAC</teamname>
      <gp>35</gp>
      <po>28</po>
      <a>7</a>
      <fpct>1.000</fpct>
    </player>
  </position>
  <position position="C">
    <player playerlinkid="857208">
      <name>Dupree, C</name>
      <teamname>KEN</teamname>
      <gp>6</gp>
      <po>16</po>
      <a>0</a>
      <fpct>1.000</fpct>
    </player>
  </position>
  <position position="1B">
    <player playerlinkid="792669">
      <name>Kraeger, D</name>
      <teamname>LAK</teamname>
      <gp>58</gp>
      <po>509</po>
      <a>23</a>
      <fpct>.985</fpct>
    </player>
  </position>
  <position position="2B">
    <player playerlinkid="762891">
      <name>Ruiz, J</name>
      <teamname>KAZ</teamname>
      <gp>30</gp>
      <po>54</po>
      <a>69</a>
      <fpct>.969</fpct>
    </player>
  </position>
  <position position="3B">
    <player playerlinkid="760414">
      <name>Carpenter, B</name>
      <teamname>WRP</teamname>
      <gp>46</gp>
      <po>37</po>
      <a>105</a>
      <fpct>.94</fpct>
    </player>
  </position>
  <position position="SS">
    <player playerlinkid="805955">
      <name>Butler, T</name>
      <teamname>MAD</teamname>
      <gp>54</gp>
      <po>76</po>
      <a>153</a>
      <fpct>.946</fpct>
    </player>
  </position>
```

```

<position position="LF">
  <player playerlinkid="760414">
    <name>Carpenter, B</name>
    <teamname>WRP</teamname>
    <gp>46</gp>
    <po>37</po>
    <a>105</a>
    <fpct>.94</fpct>
  </player>
</position>
<position position="RF">
  <player playerlinkid="760414">
    <name>Carpenter, B</name>
    <teamname>WRP</teamname>
    <gp>46</gp>
    <po>37</po>
    <a>105</a>
    <fpct>.94</fpct>
  </player>
</position>
<position position="CF">
  <player playerlinkid="760414">
    <name>Carpenter, B</name>
    <teamname>WRP</teamname>
    <gp>46</gp>
    <po>37</po>
    <a>105</a>
    <fpct>.94</fpct>
  </player>
</position>
<position position="EF">
  <player playerlinkid="760414">
    <name>Carpenter, B</name>
    <teamname>WRP</teamname>
    <gp>46</gp>
    <po>37</po>
    <a>105</a>
    <fpct>.94</fpct>
  </player>
</position>
</stats>

```

Team Roster:

Summary:

This route returns all the players on a team.

Request URL Format:

:BaseURL/baseball/team/roster/:teamlinkid/:seasonid/:format

Required Input Variables:

:teamlinkid

type: integer

:seasonid

type: integer

Request URL Sample:

XML: [https://api.pointstreak.com/baseball/team/roster/\[TEAMLINKID\]/\[SEASONID\]/xml](https://api.pointstreak.com/baseball/team/roster/[TEAMLINKID]/[SEASONID]/xml)

JSON: [https://api.pointstreak.com/baseball/team/roster/\[TEAMLINKID\]/\[SEASONID\]/json](https://api.pointstreak.com/baseball/team/roster/[TEAMLINKID]/[SEASONID]/json)

Xml Example:

```
<?xml version="1.0" encoding="UTF-8"?>
<league>
  <team teamlinkid="3613">
    <name>Lancaster Barnstormers</name>
  </team>
  <player playerlinkid="70673" playerid="70673">
    <position>P</position>
    <jersey>26</jersey>
    <fname>Rick</fname>
    <lname>Bauer</lname>
    <height>6-6</height>
    <weight>220</weight>
    <birthday>1977-01-10 00:00:00</birthday>
    <bats>R</bats>
    <throws>R</throws>
    <status/>
    <hometown>Erie, PA</hometown>
    <photo>http://www.pointstreak.com/baseball/images/no_photo_sm.gif</photo>
  </player>
  <player playerlinkid="81685" playerid="81681">
    <position>OF</position>
    <jersey>20</jersey>
    <fname>L.J.</fname>
    <lname>Biernbaum</lname>
    <height/>
    <weight/>
    <birthday/>
    <bats>L</bats>
  </player>
</league>
```

```
<throws>L</throws>
<status/>
<hometown/>
<photo>http://www.pointstreak.com/baseball/images/no_photo_sm.gif</photo>
</player>

</league>
```

Team Stats:

Summary:

This route returns the full team stats for pitchers and batters for a given season.

Request URL Format:

:BaseURL/baseball/team/stats/:teamlinkid/:seasonid/:format

Required Input Variables:

:teamlinkid

type: integer

:seasonid

type: integer

Request URL Sample:

XML: [https://api.pointstreak.com/baseball/team/stats/\[TEAMLINKID\]/\[SEASONID\]/xml](https://api.pointstreak.com/baseball/team/stats/[TEAMLINKID]/[SEASONID]/xml)

JSON: [https://api.pointstreak.com/baseball/team/stats/\[TEAMLINKID\]/\[SEASONID\]/json](https://api.pointstreak.com/baseball/team/stats/[TEAMLINKID]/[SEASONID]/json)

Xml Example:

```

<?xml version="1.0" encoding="UTF-8"?>
<stats>
<link>team_stats.html?teamid=171%26;seasonid=29211</link>
<season>Northwoods 2015</season>
  <pitching>
    <player playerlinkid="764711" playerid="764711">
      <jersey>20</jersey>
      <playername>Hopfner, M</playername>
      <teamname>Alexandria Blue Anchors</teamname>
      <wins>0</wins>
      <losses>0</losses>
      <ip>3.0</ip>
      <runs>0</runs>
      <er>0</er>
      <hits></hits>
      <bb>2</bb>
      <so>6</so>
      <bf>11</bf>
      <games>3</games>
      <gs>0</gs>
      <cg>0</cg>
      <cgl>0</cgl>
      <sho>0</sho>
      <sv>0</sv>
      <bsv>0</bsv>
      <oobp>.182</oobp>
      <oslg>.000</oslg>
      <oavg>.000</oavg>
      <era>0.00</era>
    </player>
  </pitching>
  <batting>
    <player playerlinkid="846031" playerid="846031">
      <jersey>2</jersey>
      <playername>Reynolds, T</playername>
      <teamname>Alexandria Blue Anchors</teamname>
      <ab>65</ab>
      <runs>13</runs>
      <hits>26</hits>
      <bib>4</bib>
      <trib>0</trib>
      <hr>6</hr>
      <rbi>14</rbi>
      <bb>5</bb>
      <hp>1</hp>
      <so>9</so>
      <sf>0</sf>
      <sb>2</sb>
      <dp>2</dp>
      <obp>.451</obp>
      <slg>.738</slg>
      <avg>.400</avg>
    </player>
  </batting>
</stats>

```

Team Schedule:

Summary:

This route returns the full schedule for a team in a given season.

Request URL Format:

:BaseURL/baseball/team/schedule/:teamlinkid/:seasonid/:format

Required Input Variables:

:teamlinkid

type: integer

:seasonid

type: integer

Request URL Sample:

XML: [https://api.pointstreak.com/baseball/team/schedule/\[TEAMLINKID\]/\[SEASONID\]/xml](https://api.pointstreak.com/baseball/team/schedule/[TEAMLINKID]/[SEASONID]/xml)

JSON: [https://api.pointstreak.com/baseball/team/schedule/\[TEAMLINKID\]/\[SEASONID\]/json](https://api.pointstreak.com/baseball/team/schedule/[TEAMLINKID]/[SEASONID]/json)

Xml Example:

```
<?xml version="1.0" encoding="UTF-8"?>
<schedule timestamp="" type="Team Schedule">
  <team teamlinkid="3613">
    <name>Lancaster Barnstormers</name>
  </team>
  <game gameid="6840" gamenumber="">
    <conference_info>Conference</conference_info>
    <awayteam teamlinkid="3613" awayid="3613">
      <teamname>Lancaster Barnstormers</teamname>
      <shortname>Lancaster</shortname>
      <logo>http://www.pointstreak.com/baseball/logos/league174/team3613.gif</logo>
      <division divisionid="708">
        <divisionname>Freedom Division</divisionname>
      </division>
    </awayteam>
    <hometeam teamlinkid="3609" homeid="3609">
      <teamname>Long Island Ducks</teamname>
```

```

    <shortname>L Island</shortname>
    <logo>http://www.pointstreak.com/baseball/logos/league174/team3609.gif</logo>
    <division divisionid="707">
      <divisionname>Liberty Division</divisionname>
    </division>
  </hometeam>
  <awayscore>5</awayscore>
  <homescore>8</homescore>
  <field>Bethpage Ballpark</field>
  <timezone>EST</timezone>
  <gamedate>2010-04-22</gamedate>
  <gametime>18:41:00</gametime>
  <gamestatus>
    <status>COMPLETE</status>
    <regulationinnings>9</regulationinnings>
    <inningsplayed>9</inningsplayed>
  </gamestatus>
</game>
<game gameid="6844" gamenumber="">
  <conference_info>Conference</conference_info>
  <awayteam teamlinkid="3613" awayid="3613">
    <teamname>Lancaster Barnstormers</teamname>
    <shortname>Lancaster</shortname>
    <logo>http://www.pointstreak.com/baseball/logos/league174/team3613.gif</logo>
    <division divisionid="708">
      <divisionname>Freedom Division</divisionname>
    </division>
  </awayteam>
  <hometeam teamlinkid="3609" homeid="3609">
    <teamname>Long Island Ducks</teamname>
    <shortname>L Island</shortname>
    <logo>http://www.pointstreak.com/baseball/logos/league174/team3609.gif</logo>
    <division divisionid="707">
      <divisionname>Liberty Division</divisionname>
    </division>
  </hometeam>
  <awayscore>9</awayscore>
  <homescore>4</homescore>
  <field>Bethpage Ballpark</field>
  <timezone>EST</timezone>
  <gamedate>2010-04-23</gamedate>
  <gametime>19:07:00</gametime>
  <gamestatus>
    <status>COMPLETE</status>
    <regulationinnings>9</regulationinnings>
    <inningsplayed>9</inningsplayed>
  </gamestatus>
</game>
</schedule>

```

Team Batting Leaders:

Summary:

This route returns the player batting stats for a team in a given season. Stats are broken down into 3 ordered elements: 1) home runs (<hr> ordered descending), 2) batting average (<avr> ordered descending) and 3) runs batted in (<rbi> ordered descending).

Request URL Format:

:BaseURL/baseball/team/battingleaders/:teamlinkid/:seasonid/:format

Required Input Variables:

:teamlinkid

type: integer

:seasonid

type: integer

Request URL Sample:

XML: [https://api.pointstreak.com/baseball/team/battingleaders/\[TEAMLINKID\]/\[SEASONID\]/xml](https://api.pointstreak.com/baseball/team/battingleaders/[TEAMLINKID]/[SEASONID]/xml)

JSON: [https://api.pointstreak.com/baseball/team/battingleaders/\[TEAMLINKID\]/\[SEASONID\]/json](https://api.pointstreak.com/baseball/team/battingleaders/[TEAMLINKID]/[SEASONID]/json)

Xml Example:

```
<?xml version="1.0" encoding="UTF-8"?>
<stats>
  <link>stats.html?leagueid=120%26;seasonid=29211%26;view=batting</link>
  <hr>
    <batter playerlinkid="799072" playerid="799073">
      <jersey>29</jersey>
      <playername>Weiss, A</playername>
      <firstname>Albee</firstname>
      <lastname>Weiss</lastname>
      <teamname id="161" fullname="Wisconsin
Woodchucks">WIS</teamname>
      <games>61</games>
      <ab>224</ab>
      <runs>32</runs>
      <hits>59</hits>
      <bib>9</bib>
      <trib>0</trib>
      <hr>17</hr>
```

```

        <rbi>49</rbi>
        <bb>18</bb>
        <hp>3</hp>
        <so>58</so>
        <sf>0</sf>
        <sb>0</sb>
        <dp>7</dp>
        <obp>.327</obp>
        <slg>.531</slg>
        <avg>.263</avg>
    </batter>
<avr>
    <batter playerlinkid="809090" playerid="809091">
        <jersey>1</jersey>
        <playername>McCoy, M</playername>
        <firstname>Mason</firstname>
        <lastname>McCoy</lastname>
        <teamname id="175" fullname="La Crosse
Loggers">LAC</teamname>
        <games>71</games>
        <ab>305</ab>
        <runs>80</runs>
        <hits>112</hits>
        <bib>21</bib>
        <trib>4</trib>
        <hr>9</hr>
        <rbi>43</rbi>
        <bb>24</bb>
        <hp>4</hp>
        <so>38</so>
        <sf>3</sf>
        <sb>15</sb>
        <dp>6</dp>
        <obp>.417</obp>
        <slg>.551</slg>
        <avg>.367</avg>
    </batter>
</avr>
<rbi>
    <batter playerlinkid="811907" playerid="811907">
        <jersey>70</jersey>
        <playername>Filia, E</playername>
        <firstname>Eric</firstname>
        <lastname>Filia</lastname>
        <teamname id="74413" fullname="Kenosha
Kingfish">KEN</teamname>
        <games>65</games>
        <ab>262</ab>
        <runs>48</runs>
        <hits>89</hits>
        <bib>17</bib>
        <trib>2</trib>
        <hr>6</hr>
        <rbi>55</rbi>
        <bb>27</bb>
        <hp>5</hp>
        <so>15</so>
        <sf>6</sf>
        <sb>22</sb>
        <dp>5</dp>
        <obp>.403</obp>
        <slg>.489</slg>
        <avg>.340</avg>
    </batter>
</avr>
</rbi>

```

```
        </batter>
    </rbi>
</stats>
```

Team Pitching Leaders:

Summary:

This route returns the pitching stats for a team within a given season. Stat are broken down into 5 ordered elements: 1) shutouts (<sho> ordered descending), 2) earned run average (<era> ordered ascending) , 3) wins (<wins> ordered descending), 4) saves (<saves> ordered descending), and 5) strike outs (<so> ordered descending).

Request URL Format:

:BaseURL/baseball/team/pitchingleaders/:teamlinkid/:seasonid/:format

Required Input Variables:

:teamlinkid

type: integer

:seasonid

type: integer

Request URL Sample:

XML: [https://api.pointstreak.com/baseball/team/pitchingleaders/\[TEAMLINKID\]/\[SEASONID\]/xml](https://api.pointstreak.com/baseball/team/pitchingleaders/[TEAMLINKID]/[SEASONID]/xml)

JSON: [https://api.pointstreak.com/baseball/team/pitchingleaders/\[TEAMLINKID\]/\[SEASONID\]/json](https://api.pointstreak.com/baseball/team/pitchingleaders/[TEAMLINKID]/[SEASONID]/json)

Xml Example:

```

<?xml version="1.0" encoding="UTF-8"?>
<stats>
  <link>stats.html?leagueid=120&seasonid=29211&view=pitching</link>
  <sho>
    <pitcher playerlinkid="820828" playerid="820828">
      <jersey>20</jersey>
      <playername>Skapura, Devin</playername>
      <firstname>Devin</firstname>
      <lastname>Skapura</lastname>
      <teamname id="161" fullname="Wisconsin Woodchucks">WIS</teamname>
      <wins>2</wins>
      <ip>59.2</ip>
      <runs>19</runs>
      <er>14</er>
      <hits>40</hits>
      <bb>13</bb>
      <so>51</so>
      <bf>235</bf>
      <games>10</games>
      <gs>10</gs>
      <cg>1</cg>
      <cgl>0</cgl>
      <sho>1</sho>
      <sv>0</sv>
      <bsv>0</bsv>
      <oobp>.234</oobp>
      <oslg>.282</oslg>
      <oavg>.182</oavg>
      <era>2.11</era>
    </pitcher>
  </sho>
  <era>
    <pitcher playerlinkid="801711" playerid="801711">
      <jersey>28</jersey>
      <playername>Gregory, Reese</playername>
      <firstname>Reese</firstname>
      <lastname>Gregory</lastname>
      <teamname id="170" fullname="St. Cloud Rox">STC</teamname>
      <wins>6</wins>
      <ip>67.2</ip>
      <runs>14</runs>
      <er>11</er>
      <hits>50</hits>
      <bb>22</bb>
      <so>66</so>
      <bf>267</bf>
      <games>10</games>
      <gs>9</gs>
      <cg>0</cg>
      <cgl>0</cgl>
      <sho>0</sho>
      <sv>0</sv>
      <bsv>0</bsv>
      <oobp>.270</oobp>
      <oslg>.249</oslg>
      <oavg>.204</oavg>
      <era>1.46</era>
    </pitcher>
  </era>
  <wins>
    <pitcher playerlinkid="812797" playerid="812797">
      <jersey>21</jersey>
      <playername>Johansmeier, Jake</playername>

```

```

        <firstname>Jake</firstname>
        <lastname>Johansmeier</lastname>
        <teamname id="3278" fullname="Wisconsin Rapids
Rafters">WRP</teamname>
        <wins>7</wins>
        <ip>62.2</ip>
        <runs>22</runs>
        <er>21</er>
        <hits>65</hits>
        <bb>13</bb>
        <so>40</so>
        <bf>262</bf>
        <games>12</games>
        <gs>7</gs>
        <cg>1</cg>
        <cgl>0</cgl>
        <sho>0</sho>
        <sv>0</sv>
        <bsv>0</bsv>
        <oobp>.321</oobp>
        <oslg>.362</oslg>
        <oavg>.267</oavg>
        <era>3.02</era>
    </pitcher>
</wins>
<saves>
    <pitcher playerlinkid="756556" playerid="756556">
        <jersey>25</jersey>
        <playername>Anderson, Brady</playername>
        <firstname>Brady</firstname>
        <lastname>Anderson</lastname>
        <teamname id="3279" fullname="Willmar Stingers">WIL</teamname>
        <wins>0</wins>
        <ip>24.1</ip>
        <runs>5</runs>
        <er>5</er>
        <hits>24</hits>
        <bb>2</bb>
        <so>32</so>
        <bf>100</bf>
        <games>23</games>
        <gs>0</gs>
        <cg>0</cg>
        <cgl>0</cgl>
        <sho>0</sho>
        <sv>19</sv>
        <bsv>0</bsv>
        <oobp>.280</oobp>
        <oslg>.302</oslg>
        <oavg>.250</oavg>
        <era>1.85</era>
    </pitcher>
</saves>
<so>
    <pitcher playerlinkid="811440" playerid="811442">
        <jersey>25</jersey>
        <playername>Hamilton, Grant</playername>
        <firstname>Grant</firstname>
        <lastname>Hamilton</lastname>
        <teamname id="169" fullname="Mankato MoonDogs">MAN</teamname>
        <wins>3</wins>
        <ip>56.2</ip>
        <runs>24</runs>

```

```

                <er>16</er>
                <hits>49</hits>
                <bb>30</bb>
                <so>73</so>
                <bf>249</bf>
                <games>18</games>
                <gs>7</gs>
                <cg>0</cg>
                <cgl>0</cgl>
                <sho>0</sho>
                <sv>4</sv>
                <bsv>0</bsv>
                <oobp>.329</oobp>
                <oslg>.315</oslg>
                <oavg>.227</oavg>
                <era>2.54</era>
            </pitcher>
        </so>
    </stats>

```

Team Fielding Leaders:

Summary:

This route returns fielding stats for a team within a given season. Stats are broken down by positions. Each position element has an attribute denoting the position and within each position stats are ordered by fielding percentage (<fpct>) descending.

Request URL Format:

:BaseURL/baseball/team/fieldingleaders/:teamlinkid/:seasonid/:format

Required Input Variables:

:teamlinkid

type: integer

:seasonid

type: integer

Request URL Sample:

XML: [https://api.pointstreak.com/baseball/team/fieldingleaders/\[TEAMLINKID\]/\[SEASONID\]/xml](https://api.pointstreak.com/baseball/team/fieldingleaders/[TEAMLINKID]/[SEASONID]/xml)

JSON: [https://api.pointstreak.com/baseball/team/fieldingleaders/\[TEAMLINKID\]/\[SEASONID\]/json](https://api.pointstreak.com/baseball/team/fieldingleaders/[TEAMLINKID]/[SEASONID]/json)

Xml Example:

```
<?xml version="1.0" encoding="UTF-8"?>
<stats>
  <link>team_stats.html?teamid=171&seasonid=29211&view=fielding</link>
  <division/>
  <position position="ALL">
    <player playerlinkid="801201">
      <name>White, E</name>
      <gp>14</gp>
      <po>2</po>
      <a>3</a>
      <fpct>1.000</fpct>
    </player>
    <player playerlinkid="837796">
      <name>Knaus, K</name>
      <gp>10</gp>
      <po>0</po>
      <a>3</a>
      <fpct>1.000</fpct>
    </player>
    <player playerlinkid="814535">
      <name>Knutson, M</name>
      <gp>13</gp>
      <po>4</po>
      <a>9</a>
      <fpct>1.000</fpct>
    </player>
    <player playerlinkid="812905">
      <name>Larson, M</name>
      <gp>16</gp>
      <po>1</po>
      <a>0</a>
      <fpct>1.000</fpct>
    </player>
    <player playerlinkid="764696">
      <name>Engelken, Z</name>
      <gp>6</gp>
      <po>1</po>
      <a>1</a>
      <fpct>1.000</fpct>
    </player>
  </position>
</stats>
```

Game Boxscore:

Summary:

This route will return the game boxscore for a single game.

Request URL Format:

:BaseURL/baseball/game/boxscore/:gameid/:format

Required Input Variables:

:gameid

type: integer

Request URL Sample:

XML: [https://api.pointstreak.com/baseball/game/boxscore/\[GAMEID\]/xml](https://api.pointstreak.com/baseball/game/boxscore/[GAMEID]/xml)

JSON: [https://api.pointstreak.com/baseball/game/boxscore/\[GAMEID\]/json](https://api.pointstreak.com/baseball/game/boxscore/[GAMEID]/json)

Xml Example:

```
<?xml version="1.0" encoding="UTF-8"?>
<boxscore scoringtype="SA">
  <league leagueid="120">Northwoods League</league>
  <season seasonid="29211">Northwoods League 2015</season>
  <teams>
    <hometeam teamid="87998" teamlinkid="164" logo="/small/nteamlogo.jpg">Madison
Mallards</hometeam>
    <awayteam teamid="87994" teamlinkid="74412" logo="/small/nteamlogo.jpg">Kalamazoo
Growlers</awayteam>
  </teams>
  <schedgametime>2015-05-26 18:35:00</schedgametime>
  <status>COMPLETE</status>
  <score homescore="9" awayscore="4"/>
  <scoresbyinning>
    <away>
      <inning number="1" score="1"/>
      <inning number="2" score="0"/>
      <inning number="3" score="1"/>
      <inning number="4" score="0"/>
    </away>
  </scoresbyinning>
</boxscore>
```

```

    <inning number="5" score="0"/>
    <inning number="6" score="0"/>
    <inning number="7" score="1"/>
    <inning number="8" score="0"/>
    <inning number="9" score="1"/>
  </away>
  <home>
    <inning number="1" score="0"/>
    <inning number="2" score="1"/>
    <inning number="3" score="3"/>
    <inning number="4" score="0"/>
    <inning number="5" score="4"/>
    <inning number="6" score="0"/>
    <inning number="7" score="1"/>
    <inning number="8" score="0"/>
    <inning number="9" score="x"/>
  </home>
</scoresbyinning>
<gameinfo>
  <winningpitcher>37 - Dalton DSpain</winningpitcher>
  <losingpitcher>30 - Benjamin Spieldenner</losingpitcher>
  <savepitcher/>
  <gamedate>05/26/2015</gamedate>
  <starttime>06:35 PM</starttime>
  <duration/>
  <endtime>09:30 PM</endtime>
</gameinfo>
<battingstats>
  <away>
    <player>
      <name>Brown, K</name>
      <playerlinkid>807773</playerlinkid>
      <position>CF</position>
      <ab>4</ab>
      <runs>1</runs>
      <hits>1</hits>
      <rbi>0</rbi>
      <bb>1</bb>
      <so>0</so>
      <avg>.250</avg>
    </player>
    <player>
      <name>Fletcher, J</name>
      <playerlinkid>762870</playerlinkid>
      <position>2B</position>
      <ab>4</ab>
      <runs>2</runs>
      <hits>2</hits>
      <rbi>0</rbi>
      <bb>1</bb>
      <so>0</so>
      <avg>.500</avg>
    </player>
    <player>
      <name>Letz, S</name>
      <playerlinkid>777864</playerlinkid>
      <position>RF</position>
      <ab>3</ab>
      <runs>0</runs>
      <hits>0</hits>
      <rbi>0</rbi>
      <bb>2</bb>
      <so>0</so>

```

```

    <avg>.000</avg>
</player>
<player>
  <name>Yarnall, N</name>
  <playerlinkid>762868</playerlinkid>
  <position>1B</position>
  <ab>4</ab>
  <runs>1</runs>
  <hits>3</hits>
  <rbi>2</rbi>
  <bb>1</bb>
  <so>1</so>
  <avg>.750</avg>
</player>
<player>
  <name>LeBlanc, C</name>
  <playerlinkid>787899</playerlinkid>
  <position>SS</position>
  <ab>4</ab>
  <runs>0</runs>
  <hits>1</hits>
  <rbi>0</rbi>
  <bb>1</bb>
  <so>0</so>
  <avg>.250</avg>
</player>
<player>
  <name>Slaughter, R</name>
  <playerlinkid>812082</playerlinkid>
  <position>3B</position>
  <ab>3</ab>
  <runs>0</runs>
  <hits>0</hits>
  <rbi>1</rbi>
  <bb>2</bb>
  <so>2</so>
  <avg>.000</avg>
</player>
<player>
  <name>Soteropulos, J</name>
  <playerlinkid>812622</playerlinkid>
  <position>DH</position>
  <ab>4</ab>
  <runs>0</runs>
  <hits>0</hits>
  <rbi>0</rbi>
  <bb>1</bb>
  <so>0</so>
  <avg>.000</avg>
</player>
<player>
  <name>Stevens, T</name>
  <playerlinkid>812083</playerlinkid>
  <position>C</position>
  <ab>3</ab>
  <runs>0</runs>
  <hits>0</hits>
  <rbi>0</rbi>
  <bb>1</bb>
  <so>2</so>
  <avg>.000</avg>
</player>
<player>

```

```
<name>Filkins, B</name>
<playerlinkid>812928</playerlinkid>
<position>LF</position>
<ab>4</ab>
<runs>0</runs>
<hits>1</hits>
<rbi>0</rbi>
<bb>0</bb>
<so>3</so>
<avg>.250</avg>
</player>
<player>
  <name>Schander, J</name>
  <playerlinkid>812081</playerlinkid>
  <position>P</position>
  <ab/>
  <runs/>
  <hits/>
  <rbi/>
  <bb/>
  <so/>
  <avg>.000</avg>
</player>
<player>
  <name>May, R</name>
  <playerlinkid>781657</playerlinkid>
  <position>P</position>
  <ab/>
  <runs/>
  <hits/>
  <rbi/>
  <bb/>
  <so/>
  <avg>.000</avg>
</player>
<player>
  <name>Spieldenner, B</name>
  <playerlinkid>807778</playerlinkid>
  <position>P</position>
  <ab/>
  <runs/>
  <hits/>
  <rbi/>
  <bb/>
  <so/>
  <avg>.000</avg>
</player>
</away>
<home>
  <player>
    <name>Gonsolin, A</name>
    <playerlinkid>809448</playerlinkid>
    <position>RF</position>
    <ab>5</ab>
    <runs>2</runs>
    <hits>2</hits>
    <rbi>4</rbi>
    <bb>0</bb>
    <so>1</so>
    <avg>.400</avg>
  </player>
  <player>
    <name>Tschida, C</name>
```

```
<playerlinkid>809446</playerlinkid>
<position>SS</position>
<ab>2</ab>
<runs>0</runs>
<hits>0</hits>
<rbi>1</rbi>
<bb>2</bb>
<so>0</so>
<avg>.000</avg>
</player>
<player>
  <name>Ramirez, J</name>
  <playerlinkid>809631</playerlinkid>
  <position>C</position>
  <ab>3</ab>
  <runs>0</runs>
  <hits>0</hits>
  <rbi>0</rbi>
  <bb>2</bb>
  <so>0</so>
  <avg>.000</avg>
</player>
<player>
  <name>Rodemoyer, B</name>
  <playerlinkid>805956</playerlinkid>
  <position>1B</position>
  <ab>5</ab>
  <runs>0</runs>
  <hits>0</hits>
  <rbi>0</rbi>
  <bb>0</bb>
  <so>1</so>
  <avg>.000</avg>
</player>
<player>
  <name>Tyler, S</name>
  <playerlinkid>809537</playerlinkid>
  <position>LF</position>
  <ab>3</ab>
  <runs>1</runs>
  <hits>1</hits>
  <rbi>0</rbi>
  <bb>2</bb>
  <so>0</so>
  <avg>.333</avg>
</player>
<player>
  <name>Sprague, J</name>
  <playerlinkid>805959</playerlinkid>
  <position>DH</position>
  <ab>4</ab>
  <runs>1</runs>
  <hits>1</hits>
  <rbi>0</rbi>
  <bb>1</bb>
  <so>1</so>
  <avg>.250</avg>
</player>
<player>
  <name>Quintana, J</name>
  <playerlinkid>810778</playerlinkid>
  <position>3B</position>
  <ab>4</ab>
```

```
<runs>3</runs>
<hits>1</hits>
<rbi>0</rbi>
<bb>1</bb>
<so>1</so>
<avg>.250</avg>
</player>
<player>
  <name>Gould, J</name>
  <playerlinkid>805964</playerlinkid>
  <position>2B</position>
  <ab>4</ab>
  <runs>1</runs>
  <hits>2</hits>
  <rbi>0</rbi>
  <bb>0</bb>
  <so>0</so>
  <avg>.500</avg>
</player>
<player>
  <name>Frost, C</name>
  <playerlinkid>809536</playerlinkid>
  <position>CF</position>
  <ab>4</ab>
  <runs>1</runs>
  <hits>2</hits>
  <rbi>1</rbi>
  <bb>0</bb>
  <so>0</so>
  <avg>.500</avg>
</player>
<player>
  <name>DSpain, D</name>
  <playerlinkid>809443</playerlinkid>
  <position>P</position>
  <ab/>
  <runs/>
  <hits/>
  <rbi/>
  <bb/>
  <so/>
  <avg>.000</avg>
</player>
<player>
  <name>Hill, J</name>
  <playerlinkid>809538</playerlinkid>
  <position>P</position>
  <ab/>
  <runs/>
  <hits/>
  <rbi/>
  <bb/>
  <so/>
  <avg>.000</avg>
</player>
<player>
  <name>Manke, F</name>
  <playerlinkid>809442</playerlinkid>
  <position>P</position>
  <ab/>
  <runs/>
  <hits/>
  <rbi/>
```

```

        <bb/>
        <so/>
        <avg>.000</avg>
    </player>
</home>
</battingstats>
<pitchingstats>
    <away>
        <player>
            <name>Spieldenner, B</name>
            <playerlinkid>807778</playerlinkid>
            <ip>4.0</ip>
            <hits>6</hits>
            <runs>4</runs>
            <earnedruns>4</earnedruns>
            <er>4</er>
            <bb>7</bb>
            <so>2</so>
            <era>9.00</era>
        </player>
        <player>
            <name>May, R</name>
            <playerlinkid>781657</playerlinkid>
            <ip>3.0</ip>
            <hits>3</hits>
            <runs>5</runs>
            <earnedruns>3</earnedruns>
            <er>3</er>
            <bb>1</bb>
            <so>0</so>
            <era>9.00</era>
        </player>
        <player>
            <name>Schander, J</name>
            <playerlinkid>812081</playerlinkid>
            <ip>1.0</ip>
            <hits>0</hits>
            <runs>0</runs>
            <earnedruns>0</earnedruns>
            <er>0</er>
            <bb>0</bb>
            <so>2</so>
            <era>0.00</era>
        </player>
    </away>
    <home>
        <player>
            <name>Hill, J</name>
            <playerlinkid>809538</playerlinkid>
            <ip>3.0</ip>
            <hits>2</hits>
            <runs>2</runs>
            <earnedruns>2</earnedruns>
            <er>2</er>
            <bb>7</bb>
            <so>3</so>
            <era>6.00</era>
        </player>
        <player>
            <name>DSpain, D</name>
            <playerlinkid>809443</playerlinkid>
            <ip>4.0</ip>
            <hits>3</hits>

```

```
<runs>1</runs>
<earnedruns>1</earnedruns>
<er>1</er>
<bb>3</bb>
<so>4</so>
<era>2.25</era>
</player>
<player>
  <name>Manke, F</name>
  <playerlinkid>809442</playerlinkid>
  <ip>2.0</ip>
  <hits>3</hits>
  <runs>1</runs>
  <earnedruns>1</earnedruns>
  <er>1</er>
  <bb>0</bb>
  <so>1</so>
  <era>4.50</era>
</player>
</home>
</pitchingstats>
</boxscore>
```

Individual Player Stats:

Summary:

This will return the player info and stats for a particular player.

Request URL Format:

:BaseURL/baseball/player/stats/:playerlinkid/:seasonid/:format

Required Input Variables:

:playerlinkid

type: integer

:seasonid

type: integer

Request URL Sample:

XML: [https://api.pointstreak.com/baseball/player/stats/\[PLAYERLINKID\]/\[SEASONID\]/xml](https://api.pointstreak.com/baseball/player/stats/[PLAYERLINKID]/[SEASONID]/xml)

JSON: [https://api.pointstreak.com/baseball/player/stats/\[PLAYERLINKID\]/\[SEASONID\]/json](https://api.pointstreak.com/baseball/player/stats/[PLAYERLINKID]/[SEASONID]/json)

Xml Example:

```
/* --- BATTER EXAMPLE --- */
<?xml version="1.0" encoding="UTF-8"?>
<player>
  <teamname teamid="36202">WingBar Warriors</teamname>
  <seasonname seasonid="12658">NYCMBL Summer 2012</seasonname>
  <leaguename leagueid="152">New York City Metro Baseball League</leaguename>
  <playername>Malvin De La Cruz</playername>
  <bats/>
  <throws/>
  <position>SS</position>
  <aposition>2B</aposition>
  <jersey>7</jersey>
  <photo>http://www.pointstreak.com/baseball/images/no_photo.gif</photo>
  <hometown>Vancouver</hometown>
  <height>5-10</height>
  <weight>178</weight>
  <birthday>1984-09-19 00:00:00</birthday>
  <bio/>
  <state>BC</state>
  <country>Canada</country>
  <battingstats>
    <season>
      <name>Summer 2012 NYCMBL</name>
      <teamname>WingBar Warriors</teamname>
      <gp>18</gp>
      <ab>34</ab>
      <r>4</r>
      <h>9</h>
      <bb>11</bb>
      <x_2b>1</x_2b>
      <x_3b>0</x_3b>
      <bib>1</bib>
      <trib>0</trib>
      <hr>0</hr>
      <rbi>6</rbi>
      <avg>.265</avg>
      <so>11</so>
      <sb>4</sb>
    </season>
  </battingstats>
</player>
```

```
/* --- PITCHER EXAMPLE --- */
```

```

<?xml version="1.0" encoding="UTF-8"?>
<player>
  <teamname teamid="36202">WingBar Warriors</teamname>
  <seasonname seasonid="12658">NYCMBL Summer 2012</seasonname>
  <leagueid="152">New York City Metro Baseball League</leagueid>
  <playername>Tom Hiro</playername>
  <bats>L</bats>
  <throws>R</throws>
  <position>Manager</position>
  <aposition>EH</aposition>
  <jersey>18</jersey>
  <photo>http://www.pointstreak.com/baseball/images/no_photo.gif</photo>
  <hometown>Edmonton AB</hometown>
  <height>6-4</height>
  <weight>198</weight>
  <birthday>1982-10-05 00:00:00</birthday>
  <bio/>
  <state>AB</state>
  <country>Canada</country>
  <battingstats>
    <season>
      <name>Summer 2012 NYCMBL</name>
      <teamname>WingBar Warriors</teamname>
      <gp>28</gp>
      <ab>63</ab>
      <r>8</r>
      <h>12</h>
      <bb>12</bb>
      <x_2b>1</x_2b>
      <x_3b>1</x_3b>
      <hr>0</hr>
      <rbi>11</rbi>
      <avg>.19</avg>
      <so>11</so>
      <sb>1</sb>
    </season>
  </battingstats>
  <pitchingstats>
    <season>
      <name>Summer 2012 NYCMBL</name>
      <teamname>WingBar Warriors</teamname>
      <gp>1</gp>
      <w>0</w>
      <l>1</l>
      <h>13</h>
      <bb>5</bb>
      <er>8</er>
      <gs>1</gs>
      <era>9.882</era>
      <sho>0</sho>
      <sv>0</sv>
      <ip>5.2</ip>
      <so>3</so>
    </season>
  </pitchingstats>
</player>

```

Element and Attribute Definitions:

name	datatype	example expected value	description
a	number	2	fielding assists
ab	number	23	at bats
address	string	801 E. Casino Rd	address
aposition	string	OF	alternative position
avg	string	.478	batting average
awayid	number	87992	away team id (unique and season specific)
awayscore	number	8	away team score in a game
awayteam	string	Kalamazoo Growlers	away team name
bats	string	R	player batting position
bb	number	12	walks
bf	number	26	batters faced
bib	number	3	doubles
bio	string (long)	Lorem ipsum dolor sit amet, consectetur adipiscing elit. Maecenas non lacinia diam. Sed pharetra venenatis blandit. Ut tempus quam nec mauris condimentum ultrices. Aenean pulvinar tempor blandit. Mauris dictum maximus nisl, a feugiat nisl vulputate non. Ut quis massa non turpis tempor consectetur. In non turpis et justo egestas convallis quis non libero. Donec dolor nulla, congue eu porta vitae, elementum et dolor. Sed eu mauris placerat, pulvinar elit sed, pharetra dui. In id urna vitae enim egestas mollis. Integer mattis rutrum velit, nec euismod enim ullamcorper quis. Nunc fermentum sollicitudin velit, lacinia egestas neque dapibus sed.	bio link
birthday	date	01/01/1995	player birthday
bsv	number	0	blown saves
cg	number	1	completed games by pitcher
cgl	number	1	complete game losses
city	string	Everett	city
complexid	number	2348	complexid
conference_info	string	Conference	conference name
country	string	United States	country
division	string	South Division	division name
divisionid	number	25085	unique division id (season specific)
divisionlinkid	number	25084	division id across seasons
divisionname	string	Wesco	division name
divisionuniqueid	number	25084	unique division id (season specific)
dp	number	1	double play
duration	string	2:55	game duration

earnedruns	number	4	earned runs by pitcher
enableconfstandings	number	0	confstandings flag
enableconfstats	number	0	confstats flag
endtime	string	9:30 PM	game end time
er	number	1	earned runs
era	string	1.23	earned run average
field	string	Knute Nelson Memorial Park	field name
firstname	string	Isao	player first name
fname	string	Ben	player first name
fpct	float	1.000	fielding percent
fullname	string	Japan JX Eneos	full name
gamedate	date	28/05/2009	date of the game
gameid	number	1258	game id
gamenumber	number	1	game number
games	number	4	games played
gametime	string	18:35:00	game time
gb	string	1	games back
gp	string	1	games played
gs	number	1	games started by pitcher
h	number	33	hits
half	string	Bottom	half of inning
height	string	6-0	height
hits	number	1	hits
homeid	number	87999	home team id (unique and season specific)
homescore	number	7	home team score in a game
hometeam	string	Madison Mallards	home team name
hp	number	0	hit by pitch
hr	number	1	home runs
id	string	63606	could be league id, season id, division id, team id or player id (depending on parent element)
inning	number	9	inning in a game
inningsplayed	number	9	innings played in completed game
ip	float	7.1	innings pitched
jersey	number	14	player jersey number
l	number	2	loss for pitcher

last10	string	6-4	last 10 games record for team
lastname	string	Numao	last name of player
league	string	Northwoods League	league name
leagueid	number	1207	league id
leaguename	string	Northwoods League	league name
leagueshortname	string	Northwoods	league short name
link	string	stats.html?leagueid=780%26;seasonid=25808	url to public page
lname	string	Allen	last name of player
logo	string	http://www.pointstreak.com/baseball/logos/league1207/team52609.gif	url of logo
losingpitcher	string	30 - Benjamin Spieldenner	losing pitcher in game (jersey and full name)
losses	number	13	pitcher losses
name	string	Edmonds Woodway Warriors Baseball	could team name or player name (depending on parent element)
newsfeed	string	http://www.pointstreaksites.com/news_articles/get_news_api?siteid=125	url of news feed
number	number	1	game number
oavg	string	.167	batting average allowed by pitcher
obp	string	.538	on base percentage allowed pitcher
oobp	string	.231	on base percentage allowed pitcher
orgid	number	476	organization id
oslg	string	.292	slugging percentage allowed by pitcher
pct	string	0.649	winning percentage
phone	string	604-999-9999	phone number
photo	string	http://www.pointstreak.com/baseball/photos/p764705.jpg	photo url
playerid	number	539434	player id (unique and season specific)
playerlinkid	number	8156	player link id (id to link across season)
playername	string	Numao, I	name of player
po	number	0	put outs defensive
position	string	P	position of player
postal	string	V21-1G8	postal code
probablepitcher	string	Matt Loomis	name of probable starting pitcher

province	string	WA
pts	string	22
r	number	14
ra	string	33
rbi	number	4
rdiff	string	14
regulationinnings	number	9
rs	string	55
runs	number	1
savepitcher	string	31 - Sam Spieldenner
sb	number	1
schedgametime	date	26/05/2015 18:35
score	number	1
scoringtype	string	SA
season	string	2013 WBC
seasonid	number	29370
seasonname	string	Northwoods League Summer 2009
seasonshortname	string	Northwoods 2009
sf	number	0
sho	number	0
shortname	string	Edmonds Woodway
slg	string	.739
so	number	5
sr	string	10-1
starttime	string	6:35 PM
state	string	California

province
team season
points
runs
runs against
runs batted in
run differential
regulation innings
runs scored by
team
runs
name of save
pitcher in a game
stolen base
scheduled game
date / time
inning score
scoring type
(Scoresonly or
Scoring App)
season name
season id
season name
season short
name
sac fly
Shutout by pitcher
short name
slugging
percentage
strike outs
season record
start time in a
game
state

				game status
				Possible Values:

streak	string	2L	streak of the team
sv	number	1	saves by pitcher
teamid	number	170	team id
teamlinkid	number	170	team link id (id to link across seasons)
teamname	string	Edmonds Woodway	team name
throws	string	R	player throws
ties	number	0	season ties
timestamp	date	2016-01-13T11:14:59-0800	time stamp
timezone	string	CST	time zone of a game
trib	number	0	triples
type	string	Todays Scoreboard	title/type/name of feed
videomobileurl	string	http://stevasport.vo.llnwd.net/o15/baseball/948/12155/77734/a34c8ecd-f401-476b-8bf8-39aa508b934e.mp4	video mobile url
videopageurl	string	http://stevasport.vo.llnwd.net/o15/baseball/193/4285/62196/9dc4b4ca-b8e6-4259-b853-9cf2e4daddeb.mp5	video page url
videothumbnail	string	http://stevasport.vo.llnwd.net/o15/baseball/948/12155/77734/171fe094-d021-44ce-9d88-adb3cbdca6c9.jpg	thumbnail url
videourl	string	http://stevasport.vo.llnwd.net/o15/baseball/193/4285/62196/9dc4b4ca-b8e6-4259-b853-9cf2e4daddeb.mp4	video url
w	number	3	wins in a season
weight	string	190	weight of player
winningpitcher	string	37 - Dalton DSpain	name of winning pitcher in a game
wins	number	24	wins in a season
x_2b	number	4	doubles
x_3b	number	5	triples